

# Price Book

## July 2010



**Equipment**

Wide Format Laminators 3,4

ProSeal™ Pouch Laminators 4

**Heat-Set Laminating Films**

Print Guard® UV 5

Floor Guard® 5

**Heat-Activated Laminating Films**

Jet Guard® UV 6

Jet Guard® Crystal Matte 6

Jet Guard® Deep Crystal 6

ThermaShield® 7

**Pressure-Sensitive Laminating Films**

Print Shield® Xtreme UV 8

Print Shield® Standard UV 8,9

Print Shield® Base 9

Print Shield® Anti-Graffiti 9

Print Shield® Polycarbonate 10

Print Shield® Floor Guard® 10

Print Shield® Deep Crystal 10

SEAL® Write™ 10

**Pressure-Sensitive Mounting Adhesives**

Print Mount® Ultra 10

Print Mount® Plus 11

Print Mount® White 11

Print Mount® Delta 11

Print Mount® DualTemp™ 11

Eco Mount™ 11

Print Mount® Removable 12

OptiMount® Ultra 12

**Heat-Activated Backing Films**

Stoplight™ 12

**ProSEAL® Pouch Boards & Flexible Pouches**

ProSEAL® Pouch Boards 13

ProSEAL® Mounting Boards 13

ProSEAL® Clear Pouches 13

**Inkjet Self Adhesive Vinyl**

SEAL Digital Vinyl Elite	13
SEAL Digital Vinyl Capital	13
SEAL Digital Vinyl Performance	13

**Neschen Brand Products**

Self Adhesive Print Media for Solvent Inks	14
Display Media for Water-based Inks	15
Digital Print Media for Water-based Inks-Banner Fabrics	15
Digital Print Media for Solvent-based and UV curable Inks	15,16
PrimeX Banner Stands and Displays	16
Pure Color Media Line	17
Liquid Coating Systems	18
Liquid Coatings - Water-based	19
Liquid Coatings - UV	20
<b>US Domestic Training Fee Schedule and Service Rates</b>	21
<b>Consumables Special Cut Policy</b>	21
<b>Textile &amp; PVC Special Cut Policy</b>	21
<b>Terms &amp; Conditions of Sale</b>	22,23
<b>100% Customer Satisfaction Guarantee</b>	24

**Inventory Classification System Key**

"@" - 100% in stock guarantee.

"A" – We have finished rolls on the shelves and carry large safety stocks. Our stock of these items can generally be replenished within 24 hours and when these items are replenished, we put large amounts of stock on the shelf.

"B" – Depending on the product, we may or may not have finished rolls on the shelf or safety stocks in place. Call for availability.

"C" - These products are made to order.

\* @ABC Class is subject to change without notice.

## Wide Format Laminators

<b>Image 80 Pro</b>	The SEAL Image 80 Pro is an 80" wide, mono-directional machine compatible with all cold/hot film and substrate applications up to 80" wide and a thickness of 1.5". Built on the very successful 62 Pro design platform, the 80 Pro offers fully adjustable temperature, speed and pressure settings and is ideal for the more experienced finisher requiring a highly versatile laminator.	
	64241 SEAL 80 Pro - 230VAC, ±10%, 39 Amps, 50/60Hz, 1 Phase, NEMA 6-50	Call for current pricing.
<b>Image 600md Laminator</b>	The Image 600md is ideal for the professional production finisher who requires the flexibility and efficiency of bi-directional processing. This high-speed, dual heated laminator is capable of processing materials up to 61" wide and a thickness of 1".	
	63600 Image 600md 208- 230VAC, 36 Amps, 50/60Hz, 1 Phase, NEMA 6-50	Call for current pricing.
	5550 Optional 2nd rear take up system (factory upgrade)	Call for current pricing.
	5551 Optional 2nd rear take up system (field upgrade)	Call for current pricing.
<b>SEAL 62 Pro D Laminator</b>	The SEAL 62 Pro D features the latest technology and ergonomics. Positioned for production, the 62 Pro D offers dual heated rollers, five un-wind/take up shafts and a revolutionary film saving flip up pull roll system. The 62 Pro is ideal for all hot/cold applications using materials up to 61" wide & 1.5" thick, including high speed, single pass encapsulation up to 10 mil over 10 mil.	
	64138 SEAL 62 Pro D - 230VAC, 35 Amps, 50/60Hz, 1 Phase, NEMA 6-50	Call for current pricing.
	64299 * Productivity Package - includes hi-tech Easy In-Feed Table, out-feed slitters & fans	Call for current pricing.
	63297 * Options Package - Easy In-Feed Table (factory installed) * Additional installation fee may apply if done as field upgrade	Call for current pricing.
<b>SEAL 62 Pro S Laminator</b>	The SEAL 62 Pro S features the same advanced lamination technologies of the Pro D, but without the bottom heater or flip up pull roller. Positioned for value, the Pro S offers four un-wind/take up shafts, swing out supply shafts and a slightly shorter cabinet design. The 62 Pro S is ideal for all hot/cold applications using materials up to 61" wide & 1.5" thick, including single pass encapsulation up to 5 mil over 5 mil. Thicker films require 2 pass lamination.	
	64296 SEAL 62 Pro S - 230VAC, 16 Amps, 50/60Hz, 1 Phase, NEMA 6-20	Call for current pricing.
	63298 *Options Package - Easy In-feed Table *Additional installation fee may apply if done as field upgrade	Call for current pricing.
<b>SEAL 62 Pro C Laminator</b>	The SEAL 62 Pro C features the same advanced lamination technologies of the Pro D and S, but without heated rollers or flip up pull rollers. Positioned for even greater value, the Pro C offers four un-wind/take up shafts, swing out supply shafts and the same cabinet design as the Pro S. The 62 Pro C is ideal for all cold applications using materials up to 61" wide & 1.5" thick, including single pass encapsulation.	
	64295 SEAL 62 Pro C - 115VAC, 4 Amps, 50/60Hz, 1 Phase, NEMA 5-15	Call for current pricing.
	63299 *Options Package - Easy In-feed Table (factory installed) *Additional installation fee may apply if done as field upgrade	Call for current pricing.
<b>Image 62 Plus Laminator</b>	The SEAL Image 62 Plus is the easiest, fully automated dual roll heated laminator on the market with quartz heaters for quick heat up/recovery, automatic nip pressure and pre-set speed/heat settings. Ideal for mounting, laminating and encapsulating images up to 61" wide and 1" thick.	
	60265 Image 62 Plus - 230VAC, 32 Amps, 50/60Hz, 1 Phase, NEMA 6-50	Call for current pricing.
	60147 * Roll to roll option kit includes: unwind easel and motor driven take-up assembly	Call for current pricing.
	SP136214 Unwind easel only, mounts to front table *Additional installation fee may apply if done as field upgrade	Call for current pricing.

## Wide Format Laminators continued...

Item #	Description	List Price \$
SEAL 62 Ultra Plus Laminator	The SEAL 62 Ultra Plus will mount and laminate prints up to 61" wide. Its features include a compact design, single control knob for selecting substrate thickness to 1/2" and speeds to 5ft/min. In addition, it offers pre-set temperature controls and pull rollers for single pass encapsulation to 5 mil over 5 mil films.	
63064	SEAL 62 Ultra Plus - 230VAC, 13 Amps, 50/60Hz, 1 Phase, NEMA 6-20	Call for current pricing.
SEAL 62 Ultra S Plus Laminator	The SEAL 62 Ultra S Plus will mount and laminate prints up to 61" wide. Its features include a compact design, single control knob for selecting substrate thickness to 1/2" and speeds to 5 ft/min.	
63065	SEAL 62 Ultra - 230VAC, 13 Amp, 50/60Hz, 1 Phase, NEMA 6-20	Call for current pricing.
SEAL 62 Ultra C Plus Laminator	The SEAL 62 Ultra C Plus will mount and laminate prints up to 61" wide. Its features include a compact design, single control knob for selecting substrate thickness to 1/2" and speeds to 10 ft/min.	
63066	SEAL 62 Ultra - 115VAC, 1 Amp, 50/60Hz, 1 Phase, NEMA 5-15	Call for current pricing.
SEAL 62 Base Laminator	The SEAL 62 Base will mount and laminate prints up to 61" wide. Its feature include a heat assisted top roller, a 2" nip opening, a manual nip adjustment for precise operation and 16.4ft/min speed capabilities.	
64338	SEAL 62 Base - 115VAC, 16 Amps, 50/60/Hz, 1 Phase, NEMA 5-20	Call for current pricing.
64610	Lower release liner take-up option	Call for current pricing.
64611	Roll-to-roll Option	Call for current pricing.
SEAL 54 Base Laminator	The SEAL 54 Base will mount and laminate prints up to 55" wide. Its feature include a heat assisted top roller, a 2" nip opening, a manual nip adjustment for precise operation and 16.4ft/min speed capabilities.	
64341	SEAL 54 Base - 115VAC, 15 Amps, 50/60/Hz, 1 Phase, NEMA 5-20	Call for current pricing.
SEAL 44 Ultra Plus Laminator	Compact and easy to use, the SEAL 44 Ultra Plus is an ideal first laminator for anyone new to image finishing or as a complementary machine to dedicate to a specific application. It is capable of processing materials up to 43" wide and 1/2" thick.	
63068	SEAL 44 Ultra Plus - 115 VAC, 50/60Hz, 16 amps , 1 Phase, NEMA 5-20	Call for current pricing.
SEAL 44 Ultra S Plus Laminator	Compact and easy to use, the SEAL 44 Ultra S Plus is an ideal first laminator for anyone new to image finishing or as a complementary machine to dedicate to a specific application. It is capable of processing materials up to 43" wide and 1/2" thick.	
63069	SEAL 44 Ultra Plus S - 115 VAC, 50/60Hz, 16 amps , 1 Phase, NEMA 5 - 20	Call for current pricing.

## Pouch Laminators

Item #	Description	List Price \$
ProSEAL Pouch Laminators	The ProSEAL laminating system offers a low-cost, one-step method of mounting and laminating digital images. Designed for use with ProSEAL Laminating and Mounting Pouch Boards, Flexible Laminating Pouches, Mounting Boards and Mounting Pouches to create rigid or flexible graphics.	
63071	ProSEAL 44 - 115VAC, 60Hz, 12 Amps, 1 Phase, NEMA 5-15	Call for current pricing.

## Wide Format Laminator Accessories

Image Roll Cleaner	A non-toxic rubber cleaning block for removing adhesive residue from SEAL laminator rollers.	
960	4" length	Call for current pricing.
Extended Warranty	SEAL Extended Warranty kicks in when the market-leading standard SEAL warranty expires. It provides continuous coverage when mechanical parts occasionally must be replaced and gives you the optimum laminator performance your business needs. NOTE: Extended warranty packages must be purchased prior to the expiration of the original manufacturer warranty.	
		Call for current pricing.

## Heat-Set Laminating Films

Item #	Description	A, B, C	List Price \$
<b>All roll over-laminates, mounting adhesives and backing films are provided on a 3" core</b>			
<b>Print Guard UV</b>	Print Guard UV is a family of laminating films that feature superb ultraviolet protection, low activation temperatures (185° F - 195° F) and an aggressive solvent acrylic adhesive. These films are ideal for use on a wide range of medias and display applications. Print Guard UV films can be applied with any SEAL multi-temperature roller laminator.		
<b>Gloss</b>	Provides a brilliant, high gloss finish for maximum visual impact. 2mil (1/1) polyester film.		
2049	38" x 150' (965mm x 45.7m)	A	508.00
2071	41" x 150' (1.04 x 45.7m)	C	541.00
2072	51" x 150' (1.29 x 45.7m)	C	664.00
60277	38" x 25' (965mm x 7.6m)	N/A	49.00
<b>Luster</b>	Offers a sparkling semi-gloss finish that reduces glare and reflection while adding rich color enhancement. 3mil (2/1) PVC film.		
2073	25" x 150' (635mm x 45.7m)	B	306.00
1315-3	38" x 150' (965mm x 45.7m)	@	474.00
1685-3	41" x 150' (1.04 x 45.7m)	B	501.00
1662	41" x 400' (1.04 x 122m)	B	1,348.00
1668	43" x 400' (1.09 x 122m)	C	1,094.00
2272	51" x 150' (1.29 x 45.7m)	@	596.00
2273	51" x 400' (1.29 x 122m)	A	1,504.00
60304	38" x 25' (965mm x 7.6m)	N/A	45.00
<b>Satin Matte</b>	Delivers a soft, moderately-reflective finish that enhances colors while reducing glare for easy viewing. 3mil (2/1) PVC film.		
2074	25" x 150' (635mm x 45.7m)	C	338.00
1318-3	31" x 150' (787mm x 45.7m)	C	400.00
1316-3	38" x 150' (965mm x 45.7m)	@	508.00
1683-3	41" x 150' (1.04 x 45.7m)	B	541.00
1660	41" x 400' (1.04 x 122m)	B	1,449.00
1673	43" x 150' (1.09 x 45.7m)	C	569.00
1669	43" x 400' (1.09 x 122m)	A	1,282.00
2274	51" x 150' (1.29 x 45.7m)	@	666.00
2278	51" x 400' (1.29 x 122m)	@	1,504.00
60316	38" x 25' (965mm x 7.6m)	N/A	45.00
<b>Ultra Matte</b>	Provides a flat finish that softens images while eliminating glare and reflections. 4mil (3/1) PVC film.		
11056	41" x 328' (1.04 x 100m)	B	1,055.00
11238	49" x 328' (1.25 x 100m)	C	1,114.00
<b>Floor Guard</b>	Floor Guard is a premium non-slip, heat-activated (200° F) over-laminating film with an aggressive solvent acrylic adhesive specifically designed for the creation of interior floor graphics. It offers a non-reflective textured finish that affords clear viewing while also providing a durable, scuff-resistant, waxable surface. It meets international standards for slip resistance. Constructed from 5mil (4/1) PVC, Floor Guard also doubles as an excellent pop-up display over-laminate for trade show graphics. The textured finish hides and masks finger prints and resists scuffing from rigorous handling of panels.		
2962	38" x 200' (965mm x 61m)	@	609.00
2961	51" x 200' (1.29 x 61m)	@	736.00
60324	38" x 25' (965mm x 7.6m)	N/A	52.00

## Heat-Activated Laminating Films

	Item #	Description	A, B, C	List Price \$
<b>Jet Guard UV</b>	A family of premium, low-activation temperature (185° F - 205° F) laminating films that offer high-impact color enhancement, sharp contrast, UV protection and optimum durability.			
Gloss 3mil (1/2) polyester	62102	25" x 250' (635mm x 76m)	C	110.00
	62103	38" x 250' (965mm x 76m)	A	167.00
	62104	43" x 250' (1.09 x 76m)	B	189.00
	62105	51" x 250' (1.29 x 76m)	A	226.00
	62106	55" x 250' (1.40 x 76m)	C	240.00
	62107	61" x 250' (1.55 x 76m)	C	278.00
	62101	38" x 25' (965mm x 7.6m)	N/A	29.00
Gloss 5mil (3/2) polyester	62112	25" x 250' (635mm x 76m)	C	174.00
	62113	38" x 250' (965mm x 76m)	A	262.00
	62114	43" x 250' (1.09 x 76m)	A	298.00
	62115	51" x 250' (1.29 x 76m)	A	350.00
	62116	55" x 250' (1.40 x 76m)	C	379.00
	62117	61" x 250' (1.55 x 76m)	C	415.00
	62111	38" x 25' (965mm x 7.6m)	N/A	29.00
Gloss 10mil (7/3) polyester	62122	25" x 250' (635mm x 76m)	C	335.00
	62123	38" x 250' (965mm x 76m)	A	517.00
	62125	51" x 250' (1.29 x 76m)	A	683.00
	62126	55" x 250' (1.40 x 76m)	B	743.00
	62121	38" x 25' (965mm x 7.6m)	N/A	37.00
Luster 3mil (1/2) polyester	62133	38" x 250' (965mm x 76m)	A	240.00
	62134	43" x 250' (1.09 x 76m)	B	269.00
	62135	51" x 250' (1.29 x 76m)	B	305.00
	62131	38" x 25' (965mm x 7.6m)	N/A	29.00
Matte 3mil (1/2) polyester	62142	25" x 250' (635mm x 76m)	C	174.00
	62143	38" x 250' (965mm x 76m)	B	256.00
	62145	51" x 250' (1.29 x 76m)	B	341.00
	62141	38" x 25' (965mm x 7.6m)	N/A	29.00
<b>Jet Guard Crystal Matte</b>	Ideal for trade show graphics, this film offers a clear matte finish that reduces reflected light and enriches print colors as it protects. 6mil (3.4/2.6) multi-layer film with polyester film.			
	4115	38" x 150' (965mm x 45.7m)	B	478.00
	4116	51" x 150' (1.29 x 45.7m)	B	619.00
	4117	55" x 150' (1.40 x 45.7m)	C	642.00
	4118	61" x 164' (1.55 x 50m)	C	777.00
	60283	38" x 25' (965mm x 7.6m)	N/A	41.00
<b>Jet Guard Deep Crystal</b>	Enhances color and protects with a durable, scratch-resistant, textured surface and a satin matte finish. Perfect for pop-up and large display applications. 6mil (3.4/2.6) multi-layer film with polyester core.			
	4110	38" x 150' (965mm x 45.7m)	@	443.00
	4111	51" x 150' (1.29 x 45.7m)	@	563.00
	4113	61" x 164' (1.55 x 50m)	B	709.00
	60275	38" x 25' (965mm x 7.6m)	N/A	41.00

## Heat-Activated Laminating Films continued...

Item #	Description	A, B, C	List Price \$	
<b>ThermaShield</b>	A family of economical, high-activation temperature (185° F - 235° F) laminating films designed to protect and enhance images in a variety of display applications. Ideal for use on any SEAL multi-temperature roller laminator.			
Gloss 1.7mil polyester	Offers a crisp, high-polished finish that sharpens colors and creates a brilliant visual impact.			
62402	38" x 500' (965mm x 152m)	B	147.00	
62403	51" x 500' (1.29 x 152m)	B	196.00	
62404	38"x 25' (965mm x 7.6m)	N/A	29.00	
Gloss 3mil (1/2) polyester	62406	38" x 500' (965mm x 152m)	A	206.00
	62410	43" x 500' (1.09 x 152m)	A	249.00
	62407	51" x 500' (1.29 x 152m)	B	292.00
	62409	38" x 25' (965mm x 7.6m)	N/A	26.00
Gloss 5mil (2/3) polyester	62411	38" x 250' (965mm x 76m)	A	218.00
	62415	43" x 250' (1.09 x 76m)	C	278.00
	62412	51" x 250' (1.29 x 76m)	B	305.00
	62414	38"x 25' (965mm x 7.6m)	N/A	29.00
Gloss 10mil (4/6) polyester	62416	38" x 250' (965mm x 76m)	A	459.00
	62417	51" x 250' (1.29 x 76m)	B	613.00
	62419	38" x 25' (965mm x 7.6m)	N/A	39.00
Luster 3mil (1/2) polyester	Provides a semi-reflective, sparkling finish which enhances image contrast and reduces glare from direct light.			
	62421	38" x 500' (965mm x 152m)	C	329.00
	62422	51" x 500' (1.29 x 152m)	B	444.00
	62423	61" x 500' (1.55 x 152m)	C	530.00
	62424	38" x 25' (965mm x 7.6m)	N/A	29.00
Matte 3mil (1/2) polyester	Creates a softening effect that diminishes reflections and glare, as well as hides			
	62426	38" x 500' (965mm x 152m)	B	350.00
	62430	43" x 500' (1.09 x 152m)	B	394.00
	62427	51" x 500' (1.29 x 152m)	B	466.00
	62429	38" x 25' (965mm x 7.6m)	N/A	29.00

## Pressure-Sensitive Laminating Films

Item #	Description	A, B, C	List Price \$
<b>Print Shield Xtreme UV</b>	Print Shield Xtreme UV is a premium grade, pressure-sensitive over-laminating film constructed with a 4 mil vinyl base film and a solvent-based acrylic adhesive. This laminate offers protection against UV rays, moisture, dirt and abrasion. Print Shield Xtreme UV has an outdoor durability of three years and an indoor durability of five years.		
Gloss	Provides a thin, brilliant finish that boosts color and offers crisp definition. 4mil (3/1) PVC with single paper release liner.		
83103	38" x 200' (965mm x 61m)	C	469.00
83104	41" x 200' (1.04 x 61m)	C	506.00
83105	51" x 200' (1.29 x 61m)	C	630.00
83101	38" x 25' (965mm x 7.6m)	N/A	56.00
Luster	This film deepens and enhances colors, type and lines while maintaining excellent clarity. 4mil (3/1) PVC with single paper release liner.		
83113	38" x 200' (965mm x 61m)	C	469.00
83114	41" x 200' (1.04 x 61m)	C	506.00
83115	51" x 200' (1.29 x 61m)	C	630.00
83116	51" x 400' (1.29 x 122m)	C	1,200.00
83111	38" x 25' (965mm x 7.6m)	N/A	56.00
Matte	A flat, non-reflective finish that yields a softening effect to lines and images. 4mil (3/1) PVC with single paper release liner.		
83123	38" x 200' (965mm x 61m)	C	469.00
83124	41" x 200' (1.04 x 61m)	C	506.00
83125	51" x 200' (1.29 x 61m)	C	630.00
83121	38" x 25' (965mm x 7.6m)	N/A	56.00
<b>Print Shield Standard UV</b>	Print Shield Standard UV utilizes a water based acrylic adhesive to enhance and protect images while providing a superior bond and good UV protection.		
Gloss	Provides a thick, glossy finish that heightens color and sharpens definition. 3.5mil (2.5/1.0) PVC film with single paper release liner.		
62202	25" x 200' (635mm x 61m)	C	248.00
62203	38" x 200' (965mm x 61m)	B	382.00
62204	41" x 200' (1.04 x 61m)	C	409.00
62250	43" x 200' (1.09 x 61m)	C	428.00
62205	51" x 200' (1.29 x 61m)	A	517.00
62208	51" x 400' (1.29 x 122m)	C	910.00
62253	54" x 150' (1.37 x 45.7m)	C	408.00
62231	54" x 200' (1.37 x 61m)	C	550.00
62256	60" x 150' (1.52 x 45.7m)	C	452.00
62206	61" x 200' (1.55 x 61m)	B	616.00
62207	79" x 164' (2.0 x 50m)	C	1,282.00
62201	38" x 25' (965mm x 7.6m)	N/A	41.00

**Pressure-Sensitive Laminating Films continued...**

	Item #	Description	A, B, C	List Price \$
Luster	Enriches color, text and lines while maintaining excellent clarity. 3.5mil (2.5/1.0) PVC with single paper release liner.			
	62212	25" x 200' (635mm x 61m)	C	248.00
	62213	38" x 200' (965mm x 61m)	@	382.00
	62214	41" x 200' (1.04 x 61m)	A	409.00
	62251	43" x 200' (1.09 x 61m)	B	428.00
	62215	51" x 200' (1.29 x 61m)	@	517.00
	62218	51" x 400' (1.29 x 122m)	B	910.00
	62254	54" x 150' (1.37 x 45.7m)	C	408.00
	62234	54" x 200' (1.37 x 61m)	B	550.00
	62257	60" x 150' (1.52 x 45.7m)	C	452.00
	62216	61" x 200' (1.55 x 61m)	B	616.00
	62217	79" x 164' (2.0 x 50m)	C	1,286.00
	62211	38" x 25' (965mm x 7.6m)	N/A	38.00
Matte	A non-reflective, smooth, clear, flat finish which adds definition and depth. 4.0mil (2.9/1.1) PVC film with single release paper liner.			
	62222	25" x 200' (635mm x 61m)	C	262.00
	62223	38" x 200' (965mm x 61m)	@	401.00
	62224	41" x 200' (1.04 x 61m)	B	428.00
	62252	43" x 200' (1.09 x 61m)	C	448.00
	62225	51" x 200' (1.29 x 61m)	@	536.00
	62228	51" x 400' (1.29 x 122m)	B	955.00
	62255	54" x 150' (1.37 x 45.7m)	C	428.00
	62237	54" x 200' (1.37 x 61m)	B	575.00
	62258	60" x 150' (1.52 x 61m)	C	476.00
	62226	61" x 200' (1.55 x 61m)	A	642.00
	62227	79" x 164' (2.01 x 100m)	B	1,282.00
	62221	38" x 25' (965mm x 7.6m)	N/A	38.00
<b>Print Shield Base</b>	Print Shield Base is an economy-grade, PVC over-laminate with water-based acrylic adhesive that provides protection against dirt, abrasion and limited UV. Print Shield Base has an indoor durability of three years and an outdoor durability of one year.			
Gloss	83163	38" x 200' (965mm x 61m)	C	265.00
	83165	51" x 200' (1.29 x 61m)	C	356.00
	83167	54" x 150' (1.37 x 45.7m)	C	283.00
	83168	60" x 150' (1.52 x 61m)	C	314.00
	83161	38" x 25' (965mm x 7.6m)	C	35.00
	Luster	83173	38" x 200' (965mm x 61m)	C
83175		51" x 200' (1.29 x 61m)	C	356.00
83177		54" x 150' (1.37 x 45.7m)	C	283.00
83178		60" x 150' (1.52 x 61m)	C	314.00
83171		38" x 25' (965mm x 7.6m)	C	35.00
Matte	83183	38" x 200' (965mm x 61m)	C	265.00
	83185	51" x 200' (1.29 x 61m)	C	356.00
	83187	54" x 150' (1.37 x 45.7m)	C	283.00
	83188	60" x 150' (1.52 x 61m)	C	327.00
	83181	38" x 25' (965mm x 7.6m)	C	35.00
<b>Print Shield Anti- Graffiti</b>	1mil high performance PCTFE barrier film with a gloss finish that provides protection for UV and ink-jet prints from a wide variety of stains and chemicals. Although there is no inhibitors in the film to block UV rays, the film itself is UV resistant. This plasticizer and stabilizer free film also offers the highest moisture barrier of any clear, flexible film and is flame resistant.			
62276	54" x 150' (1.37 x 45.7m)	C	1,089.00	
62271	38" x 25' (965mm x 7.6m)	C	139.00	

**Print Shield Polycarbonate** A high quality pressure-sensitive laminate with the most durability. 5, 10 and 15mil polycarbonate film with single release paper liner.

5 mil	62702	38" x 150' (965mm x 45.7m)	C	832.00
	62703	51" x 150' (1.29 x 45.7m)	C	1,101.00
	62704	60" x 150' (1.5 x 45.7m)	C	1,295.00
	62701	38" x 25' (965mm x 7.6m)	N/A	53.00
10 mil	62712	38" x 150' (965mm x 45.7m)	B	1,089.00
	62713	51" x 150' (1.29 x 45.7m)	B	1,454.00
	62714	60" x 150' (1.5 x 45.7m)	B	1,708.00
	62711	38" x 25' (965mm x 7.6m)	N/A	69.00
15 mil	62722	38" x 150' (965mm x 45.7m)	C	1,316.00
	62723	51" x 150' (1.29 x 45.7m)	C	1,748.00
	62724	60" x 150' (1.5 x 45.7m)	C	2,052.00
	62721	38" x 25' (965mm x 7.6m)	N/A	88.00

**Print Shield Floor Guard** A premium pressure sensitive over-laminating film that features an ultra-aggressive adhesive – perfect for tough-to-stick-to-media such as polyester based white films. It offers a durable, rich-textured finish that is ideal for creating vibrant, slip and scuff resistant floor graphics. Not just for floor graphics: Print Shield Floor Guard is also an excellent choice for protecting trade show graphics and point-of-purchase displays from heavy wear and finger prints.

62294	38" x 200' (965mm x 61m)	@	625.00
62297	51" x 200' (1.29 x 61m)	@	825.00
62298	55" x 200' (1.4 x 61m)	C	882.00
62299	61" x 200' (1.55 x 61m)	C	983.00
62291	38" x 25' (965mm x 7.6m)	N/A	73.00

**Print Shield Deep Crystal** A unique, pressure-sensitive over-laminate with a scratch-resistant, crystal-textured satin finish. Used in conjunction with PS Stoplight, Deep Crystal produces a durable solution for pop-up displays without the use of heat. 6mil (3.4/2.6) multi-layer film with polyester core.

63016	38" x 200' (965mm x 61m)	A	668.00
63017	51" x 200' (1.29 x 61m)	A	846.00
63015	38" x 25' (965mm x 7.6m)	N/A	43.00

**SEAL Write** A glossy, pressure-sensitive polypropylene film that affords high washability, allowing you to turn virtually any image into a write-on/wipe-off chart or display. 2mil (1/1) polypropylene film with single paper release liner.

2087	38" X100' (965mm x 30.48m)	C	271.00
2088	51" x 100'(1.29 x 30.48m)	C	362.00
2082	38" x 200' (965mm x 61m)	B	475.00
2080	51" x 200' (1.29 x 61m)	A	638.00
60741	25" x 25' (635mm x 7.6m)	N/A	32.00

## Pressure-Sensitive Mounting Adhesives

Item #	Description	A, B, C	List Price \$
--------	-------------	---------	---------------

**Print Mount Ultra** Mounts with unsurpassed smoothness! A premium, white adhesive that hides substrate blemishes and conforms to curved surfaces. Excellent for thin media and preventing dark substrates or light from bleeding through. Ideal for use indoors or outdoors. 3mil solvent acrylic adhesive with white polypropylene carrier and single release liner.

1657	25" x 200' (635mm x 61m)	C	526.00
1622A	31" x 200' (787mm x 61m)	B	581.00
1659	38" x 200' (965mm x 61m)	@	835.00
1649-9	41" x 200' (1.04 x 61m)	A	858.00
1658	43" x 200' (1.09 x 61m)	B	940.00
1649-6	51" x 200' (1.29 x 61m)	@	957.00
1625	51" x 400' (1.29 x 122m)	@	1,738.00
1648	54" x 200' (1.37 x 61m)	B	971.00
60668	38" x 25' (965mm x 7.6m)	N/A	60.00

## Pressure-Sensitive Mounting Adhesives continued...

Item #	Description	A, B, C	List Price \$
<b>Print Mount Plus</b>			
Premium pressure-sensitive adhesive perfect for mounting digital, photographic and reprographic prints to a variety of substrates including cardboard, foam board, wood, and plastic. Provides a strong permanent bond and can be used in both indoor and outdoor applications. 2.75 mil solvent acrylic adhesive with clear polyester carrier and single release paper.			
2344	25" x 200' (635mm x 61m)	C	466.00
2341	38" x 200' (965mm x 61m)	@	698.00
1344-1	41" x 200' (1.04 x 61m)	B	727.00
2333	43" x 200' (1.09 x 61m)	B	791.00
1347-1	51" x 200' (1.29 x 61m)	@	806.00
1348	51" x 400' (1.29 x 122m)	B	1,466.00
60662	38" x 25' (965mm x 7.6m)	N/A	60.00
<b>Print Mount White</b>			
A high quality, economical, opaque white mounting adhesive designed for pre-coating stable panels and media used for indoor applications. PM White keeps dark substrates from bleeding through, especially when using thin media. 3mil water-based acrylic adhesive with white polypropylene carrier.			
62000	25" x 200' (635mm x 61m)	C	373.00
62009	31" x 200' (787mm x 61m)	C	394.00
62001	38" x 200' (965mm x 61m)	@	560.00
62002	41" x 200' (1.04 x 61m)	B	593.00
62003	43" x 200' (1.09 x 61m)	B	632.00
62004	51" x 200' (1.29 x 61m)	@	649.00
62005	51" x 400' (1.29 x 122m)	@	1,050.00
62006	61" x 200' (1.55 x 61m)	A	775.00
62007	79" x 200' (2.0 x 61m)	B	1,005.00
62008	38" x 25' (965mm x 7.6m)	N/A	42.00
<b>Print Mount Delta</b>			
An excellent economical adhesive for digital prints. It has a high initial tack that permanently bonds to both soft and rigid substrates. Ideal for use in indoor and short-term outdoor applications. 2mil pressure-sensitive adhesive with clear polyester carrier and single release liner.			
63160	25" x 200' (635mm x 61m)	A	311.00
63161	31" x 200' (787mm x 61m)	B	388.00
63162	38" x 200' (965mm x 61m)	@	478.00
63163	41" x 200' (1.04 x 61m)	@	510.00
63164	43" x 200' (1.09 x 61m)	A	538.00
63165	51" x 200' (1.29 x 61m)	@	546.00
63166	51" x 400' (1.29 x 122m)	@	974.00
63168	61" x 200' (1.55 x 61m)	B	770.00
63170	38" x 25' (965mm x 7.6m)	N/A	38.00
<b>Print Mount DualTemp</b>			
Print Mount® DualTemp™ is a permanent, clear, polyester mounting adhesive that features a 2.0 mil extruded copolymer low-melt adhesive on one side, and a 1.0 mil pressure sensitive acrylic adhesive on the other. A clear polyester liner is used to protect the pressure sensitive adhesive. Economical Print Mount DualTemp allows you to easily create a pressure-sensitive decal and thermally encapsulate your image in one pass through a roller laminator.			
63241	38" x 200' (965mm x 61m)	C	381.00
63244	51" x 200' (1.29 x 61m)	A	511.00
63246	38" x 25' (965mm x 7.6m)	N/A	42.00
<b>Eco Mount</b>			
SEAL Eco Mount is a water-based, polyacrylate, unsupported, pressure-sensitive adhesive that is both recyclable and environmentally degradable. With no carrier film, and a selective chemistry that offers optimum bonding performance while minimizing the impact on paper recycling streams, Eco Mount offers customers a mounting adhesive that can be recycled with corrugated and paper products. And because the cost of a carrier film is not a factor in its manufacturing, Eco Mount is very economical.			
63182	38" x 200' (965mm x 61m)	C	304.00
63185	51" x 200' (1.29 x 61m)	C	407.00
63180	38" x 25' (965mm x 7.6m)	N/A	30.00

## Pressure-Sensitive Mounting Adhesives continued...

	Item #	Description	A, B, C	List Price \$
<b>Print Mount Removable</b>	A clear, permanent/removable mounting adhesive for all print media. Permanent side bonds firmly to your print while the removable side provides a secure bond to floors or surfaces but allows the graphic to be removed when necessary. 4mil water-based acrylic adhesive with clear PVC carrier and single release liner.			
	2977	38" x 200' (965mm x 61m)	B	596.00
	2976	51" x 200' (1.29 x 61m)	A	724.00
	60293	38" x 25' (965mm x 7.6m)	N/A	55.00
<b>OptiMount Ultra</b>	A double-sided, optically clear pressure-sensitive mounting adhesive for face mounting inkjet, photographic, electrostatic or plain paper media to clear acrylics, plastics and glass. OptiMount features UV absorbers to protect images from fading and creates a permanent bond to both the graphics and substrates. Its acid-free adhesive coating performs flawlessly in vented light box applications. 3mil solvent acrylic adhesive with polyester carrier.			
	62064	41" x 100' (1.04 X 30.48m)	C	810.00
	62065	51" x 100' (1.29 x 30.48m)	C	966.00
	62051	31" x 200' (787mm x 61m)	B	1,137.00
	62052	41" x 200' (1.04 x 61m)	@	1,509.00
	62053	51" x 200' (1.29 x 61m)	@	1,692.00
	62054	51" x 400' (1.29 x 122m)	A	3,165.00
	62056	31" x 50' (787mm x 15m)	N/A	231.00

## Heat-Activated Backing Films

	Item #	Description	A, B, C	List Price \$
<b>Stoplight</b>	Stoplight is an opaque, white, heat-activated (200° F), flexible polyester-based backing film with an aluminum layer offering rigidity and rollability with excellent lay-flat memory. It is ideal for use in pop-up and panel display applications. Stoplight is available in three thicknesses and consists of a multi-layer film with polyester core.			
Stoplight 115	62026	38" x 200' (965mm x 61m)	C	489.00
4.5mil (3/1.5)	62024	38" x 25' (965mm x 7.6m)	N/A	44.00
Stoplight 220	60660	38" x 200' (965mm x 61m)	A	835.00
	60669	38" x 25' (965mm x 7.6m)	N/A	85.00
Stoplight 320	63021	38" x 200' (965mm x 61m)	A	1,502.00
	63020	38" x 25' (965mm x 7.6m)	N/A	92.00

## ProSEAL Pouch Boards & Pouches

	Item #	Description	A, B, C	List Price \$
<b>ProSEAL Pouch Boards</b>	Designed to create indoor signs, displays or presentation materials quickly, easily and with minimal waste. Pouch boards produce rigid displays with optimum image enhancement and protection. Each pouch board is manufactured with a rigid, heat-activated adhesive-coated 3/16" foam board with a 5mil over-laminate attached by a 1/4" adhesive strip across the short edge. 10 Pouch Boards per box.			
Gloss / White	62305	25" x 37" (635mm x 940mm)	A	161.00
	62306	37" x 49" (940mm x 1245mm)	A	322.00
	62307	41" x 61" (1025mm x 1525mm)	A	415.00
Deep Crystal / White	62310	25" x 37" (635mm x 940mm)	A	187.00
	62311	37" x 49" (940mm x 1245mm)	A	362.00
	62312	41" x 61" (1025mm x 1525mm)	B	482.00
Gloss / Black	62320	25" x 37" (635mm x 940mm)	A	181.00
	62321	37" x 49" (940mm x 1245mm)	B	355.00
	62322	41" x 61" (1025mm x 1525mm)	B	497.00
Deep Crystal / Black	62325	25" x 37" (635mm x 940mm)	A	208.00
	62326	37" x 49" (940mm x 1245mm)	A	395.00
Pouch Board Sample Box	62302	(4) 8 1/2" x 11" 2 gloss, 2 matte	N/A	21.00

## ProSEAL Mounting Boards

Provides an economical mounting solution for a wide range of media where no protective laminate is required. Excellent for indoor display and presentation materials, each mount board consists of a rigid, heat-activated adhesive-coated 3/16" foam board. 10 Mounting Boards per box.

White	62340	25" x 37" (635mm x 940mm)	A	120.00
	62341	37" x 49" (940mm x 1245mm)	A	235.00
	62342	41" x 61" (1025mm x 1525mm)	B	302.00
Black	62345	25" x 37" (635mm x 940mm)	B	142.00
	62346	37" x 49" (940mm x 1245mm)	B	262.00
	62347	41" x 61" (1025mm x 1525mm)	B	355.00

## ProSEAL Pouch Boards & Pouches continued...

	Item #	Description	A, B, C	List Price \$
<b>ProSEAL Clear Pouches</b>	Designed to create indoor signs, displays or presentation materials where flexibility is a necessity. Pouches consist of 5mil gloss polyester laminate top and bottom. Packs include 25 pouches plus one sled for processing.			
	60659	18.5" x 24.5" (470mm x 622mm)	B	133.00
	60666	25" x 37" (635mm x 940mm)	A	253.00
	60679	37" x 49" (940mm x 1245mm)	C	501.00

## Solvent Inkjet Media

SEAL Digital Vinyl Elite See Neschen SolvoPrint ProGrip Page 14

SEAL Digital Vinyl Capital See Neschen SolvoPrint SuperGrip Page 14

SEAL Digital Vinyl Performance See Neschen SolvoPrint MightyGrip Page 14

The following is a list of Neschen Brand products that have been approved for SEAL resellers to purchase. For more detailed information on these products please visit [www.neschenbrands.com](http://www.neschenbrands.com).



### Self Adhesive Print Media for Solvent Inks

#### SolvoPrint™ ProGrip

This premium white calendered polymeric vinyl is designed for large format graphics on solvent inkjet printers. It is available in a matte finish with permanent or removable adhesive. This product has a five to seven year outdoor durability rating under normal exposure conditions.

##### Matte, Aqueous Adhesive - Permanent

Item#	Width	Length	Thickness	List Price
62773	54"	150'	3.4 mil	\$ 254.00
62774	60"	150'	3.4 mil	\$ 282.00
62770	30"	10'	3.4 mil	\$ 25.00

##### Matte, Aqueous Adhesive - Removable

Item#	Width	Length	Thickness	List Price
62783	54"	150'	3.4 mil	\$ 254.00
62784	60"	150'	3.4 mil	\$ 282.00
62780	30"	10'	3.4 mil	\$ 25.00

#### SolvoPrint™ SuperGrip

Constructed from calendered semi-polymeric vinyl, this product is available in a gloss finish with a permanent adhesive. This product has a four to five year outdoor durability rating under normal exposure conditions.

##### Gloss, Aqueous Adhesive - Permanent

Item#	Width	Length	Thickness	List Price
62793	54"	150'	3.0 mil	\$ 173.00
62794	60"	150'	3.0 mil	\$ 191.00
62790	30"	10'	3.0 mil	\$ 25.00

#### SolvoPrint™ MightyGrip

This calendered monomeric vinyl is available in matte and gloss finishes with a permanent or removable adhesive. This product has a three to four year outdoor durability rating under normal exposure conditions.

##### Gloss, Aqueous Adhesive - Permanent

Item #	Width	Length	Thickness	List Price
62893	54"	150'	3.5 mil	\$ 139.00
62894	60"	150'	3.5 mil	\$ 155.00
62890	30"	10'	3.5 mil	\$ 25.00

##### Matte, Aqueous Adhesive - Permanent

Item #	Width	Length	Thickness	List Price
62903	54"	150'	3.5 mil	\$ 139.00
62904	60"	150'	3.5 mil	\$ 155.00
62900	30"	10'	3.5 mil	\$ 25.00

##### Gloss, Aqueous Adhesive - Removable

Item#	Width	Length	Thickness	List Price
62763	54"	150'	3.5 mil	\$ 139.00
62764	60"	150'	3.5 mil	\$ 155.00
62760	30"	10'	3.5 mil	\$ 25.00

##### Matte, Aqueous Adhesive - Removable

Item#	Width	Length	Thickness	List Price
62753	54"	150'	3.5 mil	\$ 139.00
62754	60"	150'	3.5 mil	\$ 155.00
62750	30"	10'	3.5 mil	\$ 25.00

**Display Media for Water-based Inks****PrintLux® Easy Panel 310**

This rigid 12 mil PVC media is specially coated to produce excellent print quality with dye and pigment water-based inks. The opaque appearance, plus scratch and water resistance when printed with pigment based inks, make this an ideal choice for banner stands and pop-up displays. Its NFPA 701 certification allows for use at trade shows and other public venues.

Item#	Width	Length	Thickness	List Price
6025070	36"	65'	12 mil	\$ 168.00
6025073	42"	65'	12 mil	\$ 197.00
60076	30"	10'	12 mil	\$ 40.00

**PrintLux® Easy Panel 430**

This rigid 17 mil PVC media is specially coated to produce excellent print quality with dye and pigment water-based inks. The opaque appearance, plus scratch and water resistance when printed with pigment based inks, make this an ideal choice for banner stands and pop-up displays. Its NFPA 701 certification allows for use at trade shows and other public venues.

Item#	Width	Length	Thickness	List Price
6025067	36"	65'	17 mil	\$ 206.00
6025069	42"	65'	17 mil	\$ 240.00
60078	30"	10'	17 mil	\$ 40.00

**PrintLux® Nolite 350**

For use with dye and pigment inks, this 14 mil matte polyester media provides 100% opacity with the integrated block out layer. Nolite 350 features a stiff construction, with no edge cur that works perfectly in a wide variety of indoor and short-term outdoor banner and display applications.

Item#	Width	Length	Thickness	List Price
6023940	36"	65'	14 mil	\$ 305.00
60080	30"	10'	14 mil	\$ 45.00

**Digital Print Media for Water based Inks-Banner Fabrics**

All Printex textiles are supplied on a 2" core.

**Printex™ Easy Banner Light**

This 4.9 oz (7.5 mil) polyester fabric base is coated with an inkjet surface coating that supports aqueous dye and pigment based inks. It offers excellent color reproduction and performance in hanging banner and roll up banner stands. It works best for light to medium duty, as well as in backlit applications. The edges can be cut without fraying, plus there is no edge curl.

Item#	Width	Length	Thickness	List Price
6024514	36"	150'	7.5 mil	\$ 479.00
6024516	50"	150'	7.5 mil	\$ 665.00
6024518	60"	150'	7.5 mil	\$ 798.00
6024513	30"	10'	7.5 mil	\$ 31.00

**Printex™ Easy Banner Heavy**

This 7.1 oz (11.2 mil) polyester fabric base is coated with an inkjet surface coating that supports aqueous dye and pigment based inks. It offers excellent color reproduction and performance in hanging banner and roll up banner stands. This media offers both opacity and durability. Finishing is a snap, the edges can be cut without fraying- plus there is no edge curl.

Item#	Width	Length	Thickness	List Price
6024519	36"	98'	11.2 mil	\$ 414.00
6024520	42"	98'	11.2 mil	\$ 480.00
6024521	50"	98'	11.2 mil	\$ 574.00
6024523	60"	98'	11.2 mil	\$ 688.00
6024524	30"	10'	11.2 mil	\$ 31.00

**Display Media for Solvent-based and UV-curable Inks****SolvoPrint™ Easy Panel 220**

SolvoPrint Easy Panel 220 (8.66 mil) is for use with solvent, eco-solvent and UV inks. Easy Panel 220 is a rigid PVC media with a special inkjet coating to produce excellent print quality and strong color vibrancy. It has an opaque appearance, but is not completely light-blocking, and is also scratch and water resistant. Easy Panel 220 is an ideal choice for printing trade show graphics and is compatible with the Expolinc Roll-up Classic, Roll-up Professional and Pop-up display systems. Neschen recommends over-laminating this product for added durability and protection.

Item#	Width	Length	Thickness	List Price
6026976	36"	100'	8.66 mil	\$ 235.00
6026977	54"	100'	8.66 mil	\$ 352.00
60109	30"	10'	8.66 mil	\$ 60.00

## Display Media for Solvent-based and UV-curable Inks

### SolvoPrint™ Easy Panel 310

This rigid 12 mil PVC media is specially coated to produce excellent print quality with solvent, eco-solvent and UV inks. The opaque appearance, plus scratch and water resistance when printed with pigment based inks, make this an ideal choice for banner stands and pop-up displays. Its NFPA 701 certification allows for use at trade shows and other public venues.

Item#	Width	Length	Thickness	List Price
6026982	36"	65'	12 mil	\$ 168.00
6026983	42"	65'	12 mil	\$ 197.00
60070	30"	10'	12 mil	\$ 60.00

### SolvoPrint® Easy Panel 430

This rigid 17 mil PVC media is specially coated to produce excellent print quality with solvent, eco-solvent and UV inks. The opaque appearance, plus scratch and water resistance when printed with pigment based inks, make this an ideal choice for banner stands and pop-up displays. Its NFPA 701 certification allows for use at trade shows and other public venues.

Item#	Width	Length	Thickness	List Price
6026980	36"	65'	17 mil	\$ 206.00
6026981	42"	65'	17 mil	\$ 240.00
60071	30"	10'	17 mil	\$ 60.00

### SolvoPrint® Paper 240 Satin

This bright white, 9 mil photo paper is designed for use with solvent, eco-solvent and UV inks. It produces vibrantly-colored photorealistic images for use with photo prints, posters and trade show graphics. We recommend encapsulation for indoor and short-term outdoor display graphics.

Item#	Width	Length	Thickness	List Price
6030138	50"	164'	9.6 mil	\$ 175.00
6025065	54"	164'	9.6 mil	\$ 189.00
6025066	60"	164'	9.6 mil	\$ 210.00
60073	30"	10'	9.6 mil	\$ 30.00

### SolvoPrint™ Gotham PVC Blockout

SolvoPrint Gotham PVC Blockout is a 13 oz PVC that is 100% opaque and provides total protection from light washout. Its blockout properties also allow it to be double-side printed. Its smooth surface, bright white point and no edge curl enhance your messaging. Gotham PVC Blockout is also durable outdoors for up to 18 months.

Item#	Width	Length	Thickness	List Price
6081441	36"	131'	13.2 mil	\$ 153.00
6081442	54"	131'	13.2 mil	\$ 230.00
6081443	63"	131'	13.2 mil	\$ 268.00
60116	30"	10'	13.2 mil	\$ 60.00

### SolvoPrint™ Daytona PVC Banner

SolvoPrint Daytona PVC Banner is a 13 oz PVC product perfect for cost-effective messaging. Ideal for frontlit banners and displays, it can be used both indoors and outdoors for up to one year.

Item#	Width	Length	Thickness	List Price
6081421	38"	164'	14.4 mil	\$ 98.00
6081422	54"	164'	14.4 mil	\$ 139.00
6081423	61"	164'	14.4 mil	\$ 157.00
60115	30"	10'	14.4 mil	\$ 60.00

## Prime X Banner Stands and Displays

### Roll Up ECON and Roll Up BASIC

Need to get your graphics installed quickly? It takes about 3 minutes to completely set up the Roll Up ECON or Roll Up BASIC! Both models include carrying cases for easy transport. The Roll Up ECON is ideal for short term special events. The slim silver aluminum bars make it a lightweight system. Single side only. The Roll Up BASIC is more durable and suited for long-term events or repeated use. Single side only.

Item#		Visual Size		List Price
		Width	Height	
4001135	Roll Up ECON	33.5"	78.7"	\$ 38.00
4001138	Roll Up BASIC	33.5"	84.6"	\$ 104.00

**Golden Gate Fabric**

Golden Gate is an 8 oz/yd<sup>2</sup> polyester fabric coated with PVC that is perfect for making the transition from printing on PVC banners to a more sophisticated textile. It offers the look and feel of a textile with the printing ease of PVC. This rugged indoor or outdoor product has an anti-fungal treatment that is ideal for use in damp environments and longer-term outdoor signage. It is also NFPA 701 fire rated – making it ideal for store signage, roll up and screen displays, murals, trade show graphics and POP displays in any public area. Golden Gate fabric will reproduce brilliant colors with most solvent and eco-solvent printers in the market.

Item#	Width	Length	List Price
6318002	42" (1.07 m)	164' (50 m)	\$ 361.00
6318003	54" (1.37 m)	164' (50 m)	\$ 463.00
6318004	61" (1.55 m)	164' (50 m)	\$ 524.00
6318005	71" (1.80 m)	164' (50 m)	\$ 608.00
6318006	80" (2.05 m)	164' (50 m)	\$ 693.00
6318007	98" (2.50 m)	164' (50 m)	\$ 845.00
6318001	20" (0.50 m)	10' (3 m)	\$ 25.00

**VersaFabric™**

VersaFabric, a 7.1 oz/yd<sup>2</sup>, 100% polyester fabric with a specially coating, is one of the most versatile fabrics on the market today. It is perfect for both indoor and outdoor applications where color, wrinkle resistance and drape are important. VersaFabric provides sharp image reproduction and brilliant color finish for dramatic trade show roll-up, pop-up and soft image displays, store signage, murals, POP displays, tent sides and theatrical backdrops. Plus, its NFPA 701 fire rating allows it to be used in public areas. This fabric is performance designed for use with most solvent, eco-solvent and UV cure printers on the market.

Item#	Width	Length	List Price
6318012	41" (1.05 m)	82' (25 m)	\$ 241.00
6318013	54" (1.37 m)	82' (25 m)	\$ 306.25
6318014	61" (1.55 m)	82' (25 m)	\$ 346.50
6318015	80" (2.05 m)	164' (50m)	\$ 917.00
6318016	98" (2.50 m)	164' (50m)	\$ 1,118.00
6318011	20" (0.50 m)	10' (3 m)	\$ 25.00

**Monet Canvas**

Monet is a heavyweight 10 oz/yd<sup>2</sup> coated canvas with a prominent tooth that is ideal for giclée art reproductions, as well as for eye-catching POP signage, trade show graphics and store signage. This strong, yet flexible, canvas features a uniform matte texture and its specialized coating allows for vibrant, photorealistic printing with a wide color gamut. Designed for use with most solvent, eco-solvent and UV printers on the market, Monet's tight weave also allows it to be used with vacuum-carried flat bed UV printers.

Item#	Width	Length	List Price
6318022	54" (1.37 m)	82' (25 m)	\$ 267.00
6318023	61" (1.55 m)	82' (25 m)	\$ 303.00
6318021	20" (0.50 m)	10' (3 m)	\$ 25.00

**Mambo Fabric**

Mambo is a 9 oz/yd<sup>2</sup>, 100% polyester fabric featuring a unique coating that provides for the highest color brilliance and the deepest, richest blacks. Its distinctive characteristics make it ideal for a wide variety of indoor and outdoor displays where the look and feel of fabric will enhance and add depth to the image. It will make a splash with store signage, backlit display: murals, trade show graphics, POP displays, tent sides, and theatrical backdrops using Mambo fabric. This product is designed for printing with most solvent and eco-solvent printers on the market.

Item#	Width	Length	List Price
6318044	42" (1.07 m)	82' (25 m)	\$ 284.00
6318042	54" (1.37 m)	82' (25 m)	\$ 364.00
6318043	61" (1.55 m)	82' (25 m)	\$ 412.00
6318041	20" (0.50 m)	10' (3 m)	\$ 25.00

**Calypso Breeze Satin**

Calypso Breeze is a lightweight 3.5 oz/yd<sup>2</sup> translucent satin polyester fabric. It features a specially coating that delivers photo realistic imaging with a wide color gamut, fast dry time and excellent scratch resistance. The satin finish provides a distinctive look that is ideal for use in backlit displays, roll-up displays and window graphics- anywhere eye-catching visuals are required. Calypso Breeze is designed for use with most solvent, eco solvent and UV printers in the market.

Item#	Width	Length	List Price
6318052	54" (1.37 m)	100' (30.5 m)	\$ 318.00
6318053	60" (1.55 m)	100' (30.5 m)	\$ 354.00
6318051	20" (0.50 m)	10' (3 m)	\$ 25.00

**Apollo Flag™**

Apollo Flag is a lightweight 3.2 oz/yd<sup>2</sup> polyester flag that is perfect for use with any flag system, plus it features a paper backing that allows it to be printed without the use of a mesh printing kit. For bright colors with great bleed through, this is the product of choice. Apollo Flag makes dramatic messaging for indoor and outdoor applications easy. It is designed for use with most solvent, eco-solvent and UV printers in the market.

Item#	Width	Length	List Price
6023891	42" (1.07 m)	100' (30.5 m)	\$ 291.00
6023892	54" (1.37 m)	100' (30.5 m)	\$ 374.00
6023893	61" (1.55 m)	100' (30.5 m)	\$ 444.00
6023890	20" (0.50 m)	10' (3 m)	\$ 25.00

Liquid Coating Systems - Water-based



Accu-18XE

Designed for professional photographic labs and studios, providing fully automatic, high speed, dry-to-dry, protective coating for digital and photographic images. Handles images from 5" x 7" to 18" x 24".

Item#	Electrical	Coating Width	List Price
63302	115V	18" (.45m)	Call for Pricing

AccuCoat 1600

The AccuCoat 1600 increases the profitability of your business by providing cost effective, uniform and durable coating solutions that enhance and protect your digital graphics. Perfect for fleet and wallpaper applications.

Item#	Electrical	Coating Width	List Price
63461	240V	60" (1.5m)	Call for Pricing

Accessories

Item#		List Price
A210195	#7 (69") Smooth drawdown bar	Call for Pricing
A210196	#11 (69") Meyer drawdown bar	Call for Pricing
A210197	#22 (69") Meyer drawdown bar	Call for Pricing
A210174	#32 (69") Meyer drawdown bar	Call for Pricing
A210198	#40 (69") Meyer drawdown bar	Call for Pricing
A165115	Dam assembly right	Call for Pricing
A165116	Dam assembly left	Call for Pricing
A165133	Extra Supply Tank with pedestal and mounting hardware (includes all necessary plumbing)	Call for Pricing
A165134	Extra Supply Tank without pedestal (includes all necessary plumbing)	Call for Pricing
A540152	Infra red temperature monitoring device	Call for Pricing
62615	AquaClean Cleaner for meyer bar and machine clean up - 4 x 1 gallon size	Call for Pricing

AccuCoat 3300

The AccuCoat 3300 can be used for all wide-format digital solvent based prints up to 129" wide. It applies durable outdoor coatings for water, abrasion, UV and chemical protection.

Item#	Electrical	Coating Width	List Price
63471	230V	129" (3.3m)	Call for Pricing

Accessories

Item#		List Price
A175113	3.3m 2 up option	Call for Pricing
A175114	3.3m Tank level/flow sensor option	Call for Pricing
A154150	220 VAC 3-phase wiring option	Call for Pricing
A154122	Dual tank option	Call for Pricing
A154131	#11 (129") Meyer drawdown assembly (bar and mounting brackets)	Call for Pricing
A154130	#22 (129") Meyer drawdown assembly (bar and mounting brackets)	Call for Pricing
A154146	#32 (129") Meyer drawdown assembly (bar and mounting brackets)	Call for Pricing
A540152	Infra red temperature monitoring device	Call for Pricing
62615	AquaClean cleaner for meyer bar and machine clean up - 4 x 1 gallon size	Call for Pricing

Liquid Coating Systems-UV

AccuCure 60 & 80 UV

Engineered for super-high speed UV lamination of digital and photographic images. They feature an adjustable 3" nip for use with virtually any substrate.

Item#	Electrical	Coating Width	List Price
63315	220V	60" (1.6m)	Call for Pricing
63317	380V	60" (1.6m)	Call for Pricing
63316	220V	80" (2.0m)	Call for Pricing
63318	380V	80" (2.0m)	Call for Pricing

**Liquid Coatings- Water-based**



**AccuLac™ 1100**

This water-based acrylic coating offers an economic way to protect your graphics. It is especially suited for use with photographs, and is available in either a clear or luster finish.

Item#	Finish	Size	List Price
5001101	Clear	1 Gallon	\$ 123.00
5001102	Luster	1 Gallon	\$ 123.00

**AccuLac™ 1250**

Use this water-based acrylic coating for an easy-to-clean solution to enhance and protect inkjet and photographic images. AccuLac 1250 produces less odor than other coatings and is available in a clear, luster and matte finish.

Item#	Finish	Size	List Price
5001251	Clear	1 Gallon	\$ 129.00
5001252	Luster	1 Gallon	\$ 129.00
5001253	Matte	1 Gallon	\$ 129.00

**AccuLac™ 1400**

This water-based urethane coating is not only easy-to-clean, but also has a low odor making it ideal for preserving and enhancing inkjet and photographic images. It is available in a clear finish.

Item#	Finish	Size	List Price
5001400	Clear	1 Gallon	\$ 152.00

**UltraCoat® Fleet**

Engineered specifically for fleet graphics of all types. The semi-gloss properties of UltraCoat Fleet ensure maximum visceral exposure of the intended message while giving maximum "pop" to the image without distortion or color shift.

Item#	Finish	Size	List Price
62603	Semi Gloss	5 Gallon	\$ 578.00
62604	Semi Gloss	55 Gallon	Call For Pricing

**UltraCoat® Giclee**

UltraCoat Giclee is designed to work specifically with our Giclee coater. It is available in a clear or matte finish that is perfect for use in the fine art market.

Item#	Finish	Size	List Price
62616	Clear Gloss	(2) 1 Gallon	\$ 324.00
62617	Matte	(2) 1 Gallon	\$ 324.00
62620	Sealer	(2) 1 Gallon	\$ 299.00
62621	Cleaner	(2) 1 Gallon	\$ 179.00

**UltraCoat® Interior**

This coating offers the lowest reflective properties of any single component water-based coating on the market today! UltraCoat Interior is ideal for durable indoor wall covering applications requiring the look of an ultra-matte surface.

Item#	Finish	Size	List Price
62622	Ultra Matte	5 Gallon	\$ 625.00
62623	Ultra Matte	55 Gallon	Call for Pricing

**UltraCoat® Sign & Banner**

This quick drying and cost effective coating is ideal for manual or machine application and is available in a gloss or matte finish.

Item#	Finish	Size	List Price
62611	Gloss	5 Gallon	\$ 310.00
62612	Gloss	55 Gallon	Call for Pricing
62613	Matte	5 Gallon	\$ 310.00
62614	Matte	55 Gallon	Call for Pricing

**AccuCure™ Elite UV Fleet Gloss**

The Elite UV Fleet Gloss liquid coating is an ultraviolet curable liquid that was specifically engineered for use with the Neschen AccuCure UV liquid laminating machines. For use with vinyl, it has a quick-cure, low-odor formulation with an ideal viscosity that delivers a smooth finish every time - perfect for long-lasting fleet graphics.

Item#	Finish	Size	5 Gallons Qty 1-5	10-20 Gallons Qty 2-4	25 Gallons + Qty 5
5004516	Gloss	(2) 2.5 Gallon	\$ 752.00	\$ 676.80	\$ 615.27

**Liquid Coatings- UV****AccuCure™ Elite UV Fleet Luster**

The Elite UV Fleet Luster liquid coating is an ultraviolet curable liquid that was specifically engineered for use with the Neschen AccuCure UV liquid laminating machines. For use with vinyl, it has a quick-cure, low-odor formulation with an ideal viscosity that delivers a smooth finish every time - perfect for long-lasting fleet graphics.

Item#	Finish	Size	5 Gallons Qty 1-5	10-20 Gallons Qty 2-4	Qty	25 Gallons + Qty 5
5004512	Luster	(2) 2.5 Gallon	\$ 763.00	\$	686.70	\$ 624.27

**AccuCure™ Elite UV Gloss**

This highly protective hard coat, ultraviolet-curable coating liquid is specifically formulated for use with the Neschen AccuCure UV liquid lamination machines. It Cures quickly and is immediately ready for display. Use Elite Satin Matte with boards and rigid substrates for superior scuff and abrasion resistance. It can also be used for most vinyl applications that do not have complex curves and bends.

Item#	Finish	Size	5 Gallons Qty 1-5	10-20 Gallons Qty 2-4	Qty	25 Gallons + Qty 5
5004521	Gloss	(2) 2.5 Gallon	\$ 830.00	\$	747.00	\$ 679.09

**AccuCure™ Elite UV Satin Matte**

This highly protective hard coat, ultraviolet-curable coating liquid is specifically formulated for use with the Neschen AccuCure UV liquid lamination machines. It Cures quickly and is immediately ready for display. Use Elite Satin Matte with boards and rigid substrates for superior scuff and abrasion resistance. It can also be used for most vinyl applications that do not have complex curves and bends.

Item#	Finish	Size	5 Gallons Qty 1-5	10-20 Gallons Qty 2-4	Qty	25 Gallons + Qty 5
5004523	Satin Matte	(2) 2.5 Gallon	\$ 831.00	\$	747.90	\$ 679.91

## US Domestic Training Fee Schedule and Service Rate

### Equipment Training Fees

SEAL 44 Ultra S	\$1,250.00
SEAL 62 Ultra Plus C and S	\$1,250.00
SEAL 54 and 62 Base	\$1,250.00
SEAL 62 Pro C	\$1,250.00
SEAL Image 600MD	\$1,500.00
SEAL Image 62 Plus	\$1,500.00
SEAL 62 Pro S and D	\$1,500.00
SEAL 80 Pro	\$1,500.00

- Training is not included in the purchase price of our machines.
- Training includes but is not limited to instruction on the proper set-up of the laminator, its safety features and their operation, machine controls and their use, application training, cleaning and maintenance.
- Training does not include unloading, uncrating, or installation of laminator. The machine should already be installed with electrical service checked and live into the machine.
- The owner is responsible for providing all images, substrates, and additional laminates that are not provided with our training fee.
- The training appointment is made 7 - 14 business days after the customer takes delivery of the machine.
  
- Training is scheduled according to availability of training personnel, site location, the cost and availability of transportation to and from customer site and lodging.
- For expedited training, additional costs may be incurred due to travel availability.
- Fee schedule applies to the US 48 contiguous states only. Call Neschen Americas Technical Service department for quote on trainings outside of the US 48 contiguous states.
- Training fees for Out of Production machines will be billed at our Hourly Service Rates and will include a call charge and all travel expenses if needed.

### Hourly Service Rates

Call Charge - includes first hour of ground travel	\$250.00
Labor rate per half hour	\$75.00
Travel rate per hour of driving	\$75.00

- Labor and travel rates apply Monday through Friday, 8:30 AM to 5:00 PM excluding holidays.
- Charges for service include the total time engaged in work and/or awaiting access to subject machine.
- Charges for travel include the total time traveling to and from the machine location.
- Labor and travel time is rounded up to the nearest half-hour.
- Travel expenses will be added on Non-Warranty field service calls.

Prices are in US currency.

Prices are subject to change.

Prices are effective as of 04/02/09.

## Consumables Special Cut Policy

Consumables Special Cut Policy: Assorted items within our product range are available in custom cut sizes. Pricing schedule is as listed. For up to 14 original rolls to be slit: \$50.00 set-up fee + \$10.00 slitting fee per roll (up to three cuts allowed per roll). Occasionally special cut rolls will contain a splice.

- For quantities of 15 rolls and greater: All set-up and slitting fees are waived.
- You pay for full roll width even if the full roll is not used
- Lead time is 5-10 business days
- Roll quantities calculated based on original roll (i.e. 51" roll slit into two 25" rolls equals one roll)

#### **Example 1**

Order a 51" roll and have it cut into two 25" rolls the cost would be \$50.00 (for set-up) + \$10.00 (for slitting) = \$60.00 (i.e. 51" roll slit into two 25" rolls equals one roll)

#### **Example 2**

Order 2 rolls to be cut into 4 rolls the cost would be \$50.00 (for set-up) + \$20.00 (for slitting) = \$70.00

## Textiles & PVC Special Cut Policy

Textiles & PVC's: First cut is no charge. All subsequent cuts are \$10 each.

## Terms and Conditions of Sale



### Freight Minimums

Laminates		
Adhesives		
Inkjet Media		Orders Exceeding \$4,000 - FREE Freight
Pouch Board		Orders from \$2,000 to \$3,999.99 - 2% Surcharge on the Value of the Order
Textiles and Flex Face PVC (54" - 71")		Orders less than \$2,000 - Full Freight Charged on the Value of the Order
PrimeX		
Liquid Laminates		
Equipment		FOB Sun Prairie, WI and/or Los Angeles, CA
Textiles and Flex Face PVC (80" and greater)		FOB Elkridge, MD and/or Los Angeles, CA
Expolinc		All orders are PPA (prepay and add)

<b>Backorders</b>	All products - Partial shipments allowed.
<b>Spliced Rolls</b>	All products - Splices are allowed on all laminates and adhesives. Laminates and adhesives have an extra 9' of material on them to compensate for the splice.
<b>Special Cuts</b>	All products - Laminates & Adhesives: Rolls 1-14: \$50 set up plus \$10 per cut; 15+ rolls: No charge. Textiles & PVC's: First cut is no charge. All subsequent cuts are \$10 each.
<b>Restock Fee</b>	All products - 20%
<b>Payment Terms</b>	All products - 1% 20, Net 30
<b>International Wire Fee</b>	Any cost incurred by Neschen Americas will be added to customer's invoice.

Minimum annual volume to maintain an open commercial account is \$1500.00.

Prompt payment or freight allowance discounts do not apply to commercial mounting and laminating equipment.

Neschen reserves the right to make a claim to a 3rd party consumer for any uncollected amount not paid by the reseller.

All handling and processing of Neschen goods by a reseller shall always retain the Neschen and/or SEAL product name on all orders. If the reseller ships an order with other products belonging to different suppliers, Neschen shall retain co-ownership at a ratio of the invoice value of the Neschen/SEAL product to the total invoiced value of the shipment.

Neschen reserves the right of ownership in all goods until complete and final payment is made on the purchase price. Accordingly, you have granted us a security interest in all such goods under the Uniform Commercial Code.

### Equipment Warranty: One Year Parts / Six Months Labor Limited Warranty\*

Neschen Americas warrants to the original consumer purchaser that each new SEAL or Neschen brand equipment product which proves defective in materials or workmanship within the applicable warranty period will be repaired or, at our option, replaced without charge upon its return, postpaid, as outlined below. The applicable warranty shall be one year from date of purchase for parts, 6 months for labor and 6 months for rollers (rollers warranted against manufacturers defects) and applies only in respect to the uses for which the product was intended by Neschen Americas. "Original consumer purchaser" means the person who first purchased the product covered by this warranty other than for purpose of resale. Refurbished equipment carries a 90-day parts and labor limited warranty, excluding rollers. Neschen Americas' liability for breach of any warranty, expressed or implied, shall be limited to the repair or replacement at Neschen Americas' option of the defective item.

Neschen Americas shall not be liable for damages, including but not limited to incidental, consequential, indirect, punitive or special damages, arising out of or in connection with the use or performance of any SEAL or Neschen brand product. Any implied warranty shall be limited in duration to the duration of this warranty. Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitation & exclusion may not apply to you.

Neschen Americas and its officers, directors, shareholders, principals, agents, representatives and affiliates shall not be liable for damages from mishandling and abuse in transit, in which case a claim should be filed with the carrier. This warranty does not cover any defect or malfunction due to or caused by unreasonable use or abuse, or failure to provide reasonable and necessary maintenance, which shall be determined by Neschen Americas in its sole discretion.

NESCHEN AMERICAS MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE SEAL OR NESCHEN BRAND EQUIPMENT PRODUCT SOLD HEREUNDER.

## Terms and Conditions of Sale

### ProSEAL Warranty: One Year Parts / Six Months Roller Limited Warranty

Neschen Americas warrants to the original consumer purchaser that each new ProSEAL equipment product which proves defective in materials or workmanship within the applicable warranty period will be repaired or, at our option, replaced without charge upon its return, postpaid, as outlined below. The applicable warranty shall be one year from date of purchase for parts, 3 months for rollers (rollers warranted against manufactures defects). "Original consumer purchase" means the person who first purchased the product covered by this warranty other than for purpose of resale. Refurbished equipment carries a 90-day parts and labor limited warranty, excluding rollers. Neschen Americas' liability for breach of any warranty, expressed or implied, shall be limited to the repair or replacement at Neschen Americas' option of the defective item.

Neschen Americas and its officers, directors, shareholders, principals, agents, representatives and affiliates shall not be liable for damages, including but not limited to incidental, consequential, indirect, punitive or special damages, arising out of or in connection with the use or performance of any ProSEAL product. Any implied warranty shall be limited in duration to the duration of this warranty. Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitation & exclusion may not apply to you.

Neschen Americas is not responsible for damages from mishandling and abuse in transit, in which case a claim should be filed with the carrier. This warranty does not cover any defect or malfunction due to or caused by unreasonable use or abuse, or failure to provide reasonable and necessary maintenance, which shall be determined by Neschen Americas in its sole discretion.

**NESCHEN AMERICAS MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE PROSEAL EQUIPMENT PRODUCT SOLD HEREUNDER.**

**Equipment Repair:** A product out of warranty in need of repair will be repaired in accordance with the approval repair system. Replacement parts carry a 90 day warranty. Contact Technical Support at 1-800-486-6502 for more information.

### Spare Parts Support for Discontinued Machines:

Neschen Americas will provide spare parts support for our SEAL brand roller laminators and Neschen brand liquid coaters for a period of five (5) years after the last machine manufactured and shipped from our manufacturing location. Spare parts can be ordered through our Technical Service Department at 1-800-486-6502 press # 1. After the 5 year period, parts may still be available; however availability is not guaranteed

**Consumables Warranty:** Neschen Americas warrants to the original consumer purchaser that each new consumable product will perform materially up to published specification. Any products that are obsolete or are over one year old from the date of the dealer's invoice are not eligible for return or credit. Neschen Americas and its officers, directors, shareholders, principals, agents, representatives and affiliates shall not be liable for damages, including but not limited to incidental, consequential, indirect, punitive or special damages, arising out of or in connection with the use or performance of any consumable product. Some states do not allow limitations on the exclusion or limitation of incidental or consequential damages, so the above limitation & exclusion may not apply to you.

**NESCHEN AMERICAS MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE CONSUMABLE PRODUCT SOLD HEREUNDER.**

## 100% Customer Satisfaction Guarantee Policy

In order to better serve our customers, we have established the following guidelines to facilitate the administration of our 100% Customer Satisfaction Guarantee for Consumables, Inkjet Media, Textiles and Liquids. All of the information needed for smooth RMA and credit transactions is detailed in this document.

Please note: products can be no more than one year beyond their production date (as indicated by their lot code which is designated on the roll of material) to be eligible for return within the guidelines stated below.

Remember that an RMA number must still be issued by our Customer Service department for any product being returned to Neschen Americas.

### Satisfaction Guaranteed Return Types

#### Quality Defects

##### **a. Maximum of two rolls of material with a value of \$2,500 or less**

A credit will be issued to the customer within 48 hours of our receipt of a sample of the defective material.

##### **b. Three or more rolls of material or an order value of greater than \$2,500**

We will provide the customer with a course of action based on the following two scenarios within 48 hours of our receipt of the defective sample.

1. Destroy in field – Customer will be asked to dispose of the defective material and a credit will be processed at the time of communication.
2. Rolls to be returned – This occurs when the entire lot of rolls needs to be returned to Neschen Americas for an evaluation of the defect. A credit will be issued to the customer within 48 hours of our receipt of the rolls.

#### Stock Rotation

##### **a. Reseller Stock Rotation**

A credit will be issued to the reseller within five business days of our receipt of the returned product. The product must fall within the detailed stock rotation guidelines noted below:

1. Stock rotations must be made within six months of the original purchase from Neschen Americas (a maximum of two stock rotations per year).
2. We ask that the reseller provide the lot codes for each roll being considered for stock rotation. These lot codes will be used to determine the roll's production date, which must be within one calendar year of the requested return. Any rolls produced outside of this one year time frame will not be considered for a stock rotation credit. Customer Service will communicate any discrepancies to the appropriate Neschen Americas Sales Representative, and Sales will communicate them to the Reseller.
3. A 20% restock fee will be applied to all stock rotation returns. A reseller placing an offsetting purchase order of equal or greater value than the stock rotation request will be exempt from this restock fee. The offsetting order must be placed at the same time the rotation request is made to qualify for exemption from the 20% restock fee.
4. The reseller requesting the stock rotation will be responsible for the returned product's freight costs. If products being returned as part of a stock rotation arrive at Neschen Americas with freight damage they will be refused at our dock upon attempted delivery.
5. A \$15.00 re-box fee will be applied to all rolls requiring repackaging for resale. We will notify the reseller within 48 hours of our receipt of the returned product of the total re-box fees that will be applied to their stock rotation credit.
6. Only SEAL or Neschen brand products will be considered for stock rotation returns. Equipment, Eco Board, private label items, special orders products, container orders, specialty products, special cuts, discontinued and obsolete items are not eligible for stock rotation returns. Please refer to the Neschen Americas Terms and Conditions of Sale page of your price book for information on our Equipment Warranty.
7. We will only issue credit for product that can be restocked and resold.

#### Freight Damage

##### **a. Product value not exceeding \$2,500**

1. We will ask the customer to provide us with digital photographs of the damage and we will issue a credit within 48 hours of our receipt of the pictures.

##### **b. Product value exceeding \$2,500 and the product is received by the customer**

1. We ask that the customer provide us with digital pictures of the damage and we will issue a credit within 48 hours of our receipt of the pictures.
2. The Neschen Americas Shipping Department will contact the appropriate carrier to set up a freight claim inspection.

##### **c. Product value exceeding \$2,500 and the product is refused by the customer**

1. The customer will be asked to provide a fax copy of the packing list refusal and a credit will be issued within 48 hours of our receipt of the fax.
2. Our Shipping Department will contact the appropriate carrier to set up a freight claim and arrange to have the damaged materials returned to Neschen Americas.
3. We will process a replacement order at the time of the customer's initial notification of the freight damaged order.

Please contact your Sales or Customer Service Representative if you have any questions about this policy.

\*Excludes ProSEAL Laminators

Neschen Americas Technical Service Department (800) 486-6502  
Neschen Americas Customer Service Department (800) 257-7325  
Neschen Americas Customer Service Department Fax (800) 966-4554

[www.sealbrands.com](http://www.sealbrands.com)

All prices in US Dollars. Errors and omissions excluded. All prices and availability subject to change.

Neschen Americas  
7091 Troy Hill Drive  
Elkridge, MD 21075  
Tel: (410) 540-8900  
Fax: (410) 579-8960