



SEAL
Web Price List
July 2008



All prices quoted in U.S. Dollars



Table of Contents

Page

Equipment

Wide Format Laminators 3

ProSeal™ Pouch Laminators 4

Heat-Set Laminating Films

Print Guard® UV 5

Linerless Print Guard® 6

Floor Guard® 6

Heat-Activated Laminating Films

Jet Guard® UV 7

ThermaShield™ 8

Pressure-Sensitive Laminating Films

Print Shield® Premium UV 9

Print Shield® Standard UV 9

Print Shield® Polycarbonate 10

Print Shield® Floor Guard® 11

Print Shield® Deep Crystal 11

SEAL® Write™ 11

Pressure-Sensitive Mounting Adhesives

Print Mount® Ultra 11

Print Mount® Plus 11

Print Mount® White 12

Print Mount® Delta 12

Print Mount® DualTemp™ 12

Eco Mount™ 12

Print Mount® Removable 13

OptiMount® Ultra 13

Heat-Activated Backing Films

Stoptlight™ 13

ThermaShield™ MB 13

Pressure-Sensitive Backing Films

PS Stoptlight™ 14

ProSEAL® Pouch Boards & Flexible Pouches

ProSEAL® Pouch Boards 14

ProSEAL® Mounting Boards 14

ProSEAL® Clear Pouches 15

ProSEAL® Opaque Back Pouches 15

ProSEAL® Mounting Pouches 15

Eco Board

X-Board 15

Mondi Xtreme 15

Mondi Indoor 15

Inkjet Media

Inkjet Stoptlight™ 16

Inkjet Textiles

Inkjet Light Banner Fabric & Inkjet Heavy Banner Fabric 16

Inkjet Vinyl

Inkjet Solvent Premier Vinyl - SPG & Inkjet Solvent Economy Vinyl 16

Neschen Brand Products

Inkjet Media and Panel Products 17

PrimeX Banner Stands and Displays 18

Pure Color Media Line 19

Liquid Coating Systems 20

Liquid Coatings 21

US Domestic Training Fee Schedule and Service Rates 23

Consumables Special Cut Fees 23

Terms & Conditions 24

100% Customer Satisfaction Guarantee 25

Inventory Classification System Key

A – We have finished rolls on the shelves and carry large safety stocks. Our stock of these items can generally be replenished within 24 hours and when these items are replenished, we put large amounts of stock on the shelf.

B – Depending on the product, we may or may not have finished rolls on the shelf or safety stocks in place.

C - These products are made to order.

* ABC Class is subject to change without notice.



Wide Format Laminators

Item #	Description	List Price \$
Image 80 Pro		
The SEAL Image 80 Pro is an 80" wide, mono-directional machine compatible with all cold/hot film and substrate applications up to 1.5". Built on the very successful 62 Pro design platform, the 80 Pro offers fully adjustable temperature, speed and pressure settings and is ideal for the more experienced finisher requiring a highly versatile laminator.		
64241	SEAL 80 Pro - 230VAC, ±10%, 39 Amps, 50/60Hz, 1 Phase, NEMA 6-50	Call for current pricing.
Image 600md Laminator		
The Image 600md is ideal for the professional production finisher who requires the flexibility and efficiency of bi-directional processing. This high-speed, dual heated laminator is capable of processing materials up to 61" wide and a thickness of 1".		
63600	Image 600md 208- 230VAC, 36 Amps, 50/60Hz, 1 Phase, NEMA 6-50	Call for current pricing.
5550	Optional 2nd rear take up system (factory upgrade)	Call for current pricing.
5551	Optional 2nd rear take up system (field upgrade)	Call for current pricing.
225020	Thomas Compressor	Call for current pricing.
SEAL 62 Pro D Laminator		
The SEAL 62 Pro D features the latest technology and ergonomics. Positioned for value, the 62 Pro D offers dual heated rollers, five "combi" supply/take up shafts and a revolutionary film saving flip up pull roll system. The 62 Pro is ideal for all hot/cold applications using materials up to 61" wide & 1.5" thick, including high speed, single pass encapsulation up to 10 mil over 10 mil.		
64138	SEAL 62 Pro D - 230VAC, 35 Amps, 50/60Hz, 1 Phase, NEMA 6-50	Call for current pricing.
64299	* Productivity Package - includes hi-tech Easy In-Feed Table, out-feed slitters & fans	Call for current pricing.
63297	* Options Package - Easy In-Feed Table (factory installed)	Call for current pricing.
	* Additional installation fee may apply if done as field upgrade	
SEAL 62 Pro S Laminator		
The SEAL 62 Pro S features the same advanced lamination technologies of the Pro D, but without the bottom heater or flip up pull roller. Positioned for value, the Pro S offers four "combi" supply/take up shafts and a slightly shorter cabinet design. The 62 Pro S is ideal for all hot/cold applications using materials up to 61" wide & 1.5" thick, including single pass encapsulation up to 5 mil over 5 mil. Thicker films require 2 pass lamination.		
64296	SEAL 62 Pro S - 230VAC, 16 Amps, 50/60Hz, 1 Phase, NEMA 6-20	Call for current pricing.
63297	* Options Package - Easy In-feed Table	Call for current pricing.
	* Additional installation fee may apply if done as field upgrade	
SEAL 62 Pro C Laminator		
The SEAL 62 Pro C features the same advanced lamination technologies of the Pro D and S, but without heated rollers or flip up pull rollers. Positioned for even greater value, the Pro C offers four "combi" supply/take up shafts and the same cabinet design as the Pro S. The 62 Pro C is ideal for all cold applications using materials up to 61" wide & 1.5" thick, including single pass encapsulation.		
64295	SEAL 62 Pro C - 115VAC, 4 Amps, 50/60Hz, 1 Phase, NEMA 5-15	Call for current pricing.
63297	* Options Package - Easy In-feed Table (factory installed)	Call for current pricing.
	* Additional installation fee may apply if done as field upgrade	
Image 62 Plus Laminator		
The SEAL Image 62 Plus is the easiest, fully automated dual roll heated laminator on the market with quartz heaters for quick heat up/recovery, automated nip pressure and pre-set speed/heat settings. Ideal for mounting, laminating and encapsulating images up to 61" wide and 1" thick.		
60265	Image 62 Plus - 230VAC, 32 Amps, 50/60Hz, 1 Phase, NEMA 6-50	Call for current pricing.
60147		
	* Roll to roll option kit includes: unwind easel and motor driven take-up assembly	Call for current pricing.
SP136214	Unwind easel only, mount to front table	Call for current pricing.



Wide Format Laminators continued...

	Item #	Description	List Price \$	Net Price
SEAL 62 Ultra Plus Laminator		The SEAL 62 Ultra Plus will mount and laminate prints up to 61" wide. Its features include a compact design, single control knob for selecting substrate thickness in 1/16" to 1/2" increments. In addition, it offers pre-set temperature controls and pull rollers for single pass encapsulation to 5 mil over 5 mil films.		
	63064	SEAL 62 Ultra Plus - 230VAC, 13 Amps, 50/60Hz, 1 Phase, NEMA 6-20	Call for current pricing.	
SEAL 62 Ultra S Plus Laminator		The SEAL 62 Ultra S Plus will mount and laminate prints up to 61" wide. Its features include a compact design, single control knob for selecting substrate thickness to 1/2" and speeds to 10 ft/min.		
	63065	SEAL 62 Ultra - 230VAC, 13 Amp, 50/60Hz, 1 Phase, NEMA 6-20	Call for current pricing.	
SEAL 62 Ultra C Plus Laminator		The SEAL 62 Ultra C Plus will mount and laminate prints up to 61" wide. Its features include a compact design, single control knob for selecting substrate thickness to 1/2" and speeds to 10 ft/min.		
	63066	SEAL 62 Ultra - 115VAC, 1 Amp, 50/60Hz, 1 Phase, NEMA 5-15	Call for current pricing.	
SEAL 54 Base Laminator		The SEAL 54 Base will mount and laminate prints up to 55" wide. Its feature include a heat assisted top roller, a 2" nip opening, a manual nip adjustment for precise operation and 16.4/min speed capabilities.		
	64341	SEAL 54 Base - 115VAC, 15 Amps, 50/60Hz, 1 Phase, NEMA 5-20	Call for current pricing.	
SEAL 62 Base Laminator		The SEAL 62 Base will mount and laminate prints up to 61" wide. Its feature include a heat assisted top roller, a 2" nip opening, a manual nip adjustment for precise operation and 16.4/min speed capabilities.		
	64338	SEAL 62 Base - 115VAC, 15 Amps, 50/60Hz, 1 Phase, NEMA 5-20	Call for current pricing.	
	64610	Lower release liner take-up option	Call for current pricing.	
	64611	Roll-to-roll Option	Call for current pricing.	
SEAL 44 Ultra Plus Laminator		Compact and easy to use, the SEAL 44 Ultra Plus is an ideal first laminator for anyone new to image finishing or as a complementary machine to dedicate to a specific application. It is capable of processing materials up to 42" wide and 1/2" thick.		
	63068	SEAL 44 Ultra Plus - 115 VAC, 50/60Hz, 16 amps , 1 Phase, NEMA 5-20	Call for current pricing.	
SEAL 44 Ultra S Plus Laminator		Compact and easy to use, the SEAL 44 Ultra S Plus is an ideal first laminator for anyone new to image finishing or as a complementary machine to dedicate to a specific application. It is capable of processing materials up to 42" wide and 1/2" thick.		
	63069	SEAL 44 Ultra Plus S - 115 VAC, 50/60Hz, 16 amps , 1 Phase, NEMA 5 - 10	Call for current pricing.	

Pouch Laminators

	Item #	Description	List Price \$	Net Price
ProSEAL Pouch Laminators		The ProSEAL laminating system offers a low-cost, one-step method of mounting and laminating digital images. Designed for use with ProSEAL Pouch Boards & flexible pouches to create rigid or flexible graphics.		
	63060	ProSEAL 44 - 120VAC, 50/60Hz, 12 Amps, 1 Phase, NEMA 5-15	Call for current pricing.	

Wide Format Laminator Accessories

Image Roll Cleaner	960	A non-toxic rubber cleaning block for removing adhesive residue from SEAL laminator rollers. 4" length	Call for current pricing.	
Extended Warranty		SEAL Extended Warranty kicks in when the market-leading standard SEAL warranty expires. It provides continuous coverage when mechanical parts occasionally must be replaced and gives you the optimum laminator performance your business needs. NOTE: Extended warranty packages must be purchased prior to the expiration of the original manufacturer warranty.	Call for current pricing.	



Heat-Set Laminating Films

Item #	Description	A, B, C	List Price \$
All roll over-laminates, mounting adhesives and backing films are provided on a 3" core.			
Print Guard UV	Print Guard UV is a family of laminating films that feature superb ultraviolet protection, low activation temperatures (185° F - 195° F) and an aggressive solvent acrylic adhesive. These films are ideal for use on a wide range of medias and display applications. Print Guard UV films can be applied with any SEAL multi-temperature roller laminator.		
Gloss	Provides a brilliant, high gloss finish for maximum visual impact. 2mil (1/1) polyester film.		
2049	38" x 150' (965mm x 45.7m)	A	488.00
2071	41" x 150' (1.04 x 45.7m)	B	520.00
2072	51" x 150' (1.29 x 45.7m)	A	638.00
60277	38" x 25' (965mm x 7.6m)	N/A	49.00
Luster	Offers a sparkling semi-gloss finish that reduces glare and reflection while adding rich color enhancement. 3mil (2/1) PVC film.		
2073	25" x 150' (635mm x 45.7m)	B	294.00
1315-3	38" x 150' (965mm x 45.7m)	A	456.00
1685-3	41" x 150' (1.04 x 45.7m)	B	482.00
1662	41" x 400' (1.04 x 122m)	B	1,296.00
1668	43" x 400' (1.09 x 122m)	C	1,052.00
2272	51" x 150' (1.29 x 45.7m)	A	573.00
2273	51" x 400' (1.29 x 122m)	A	1,446.00
60304	38" x 25' (965mm x 7.6m)	N/A	31.00
Satin Matte	Delivers a soft, moderately-reflective finish that enhances colors while reducing glare for easy viewing. 3mil (2/1) PVC film.		
2074	25" x 150' (635mm x 45.7m)	C	325.00
1318-3	31" x 150' (787mm x 45.7m)	C	385.00
1316-3	38" x 150' (965mm x 45.7m)	A	488.00
1683-3	41" x 150' (1.04 x 45.7m)	B	520.00
1660	41" x 400' (1.04 x 122m)	B	1,393.00
1673	43" x 150' (1.09 x 45.7m)	C	547.00
1669	43" x 400' (1.09 x 122m)	A	1,233.00
2274	51" x 150' (1.29 x 45.7m)	A	640.00
2278	51" x 400' (1.29 x 122m)	A	1,446.00
60316	38" x 25' (965mm x 7.6m)	N/A	31.00
Ultra Matte	Provides a flat finish that softens images while eliminating glare and reflections. 4mil (3/1) PVC film.		
11056	41" x 328' (1.04 x 100m)	B	1,014.00
11238	49" x 328' (1.25 x 100m)	C	1,071.00



Heat-Set Laminating Films continued...

Item #	Description	A, B, C	List Price \$
Linerless Print Guard Linerless Print Guard features a uniquely new adhesive technology to laminate even the toughest prints and it is liner-free to reduce waste and cut production costs. Armed with basic UV protection and a choice of three finishes, select Linerless Print Guard for your everyday output.			
Gloss Made from quality polyester to deliver a dynamically vibrant, glossy finish. 3mil (1/2) polyester film.			
62501	38" x 200' (965mm x 61m)	C	312.00
62503	51" x 200' (1.29 x 61m)	C	422.00
62506	38" x 25' (965mm x 7.6m)	N/A	27.00
Luster Provides a soft sheen to your prints and is constructed from vinyl for flexibility and conformability. 7mil PVC film.			
62511	38" x 200' (965mm x 61m)	C	420.00
62513	51" x 200' (1.29 x 61m)	C	559.00
62516	38" x 25' (965mm x 7.6m)	N/A	31.00
Matte Delivers low reflectance and is ideal for displays in highly-lit environments. 7mil PVC film.			
62521	38" x 200' (965mm x 61m)	C	456.00
62523	51" x 200' (1.29 x 61m)	C	614.00
62526	38" x 25' (965mm x 7.6m)	N/A	36.00
Floor Guard Floor Guard is a premium non-slip, heat-activated (200° F) over-laminating film with an aggressive solvent acrylic adhesive specifically designed for the creation of interior floor graphics. It offers a non-reflective textured finish that affords clear viewing while also providing a durable, scuff-resistant, waxable surface. It meets international standards for slip resistance. Constructed from 5mil (4/1) PVC, Floor Guard also doubles as an excellent pop-up display over-laminate for trade show graphics. The textured finish hides and masks finger prints and resists scuffing from rigorous handling of panels.			
2962	38" x 200' (965mm x 61m)	A	586.00
2961	51" x 200' (1.29 x 61m)	A	708.00
60324	38" x 25' (965mm x 7.6m)	N/A	37.00



Heat-Activated Laminating Films

	Item #	Description	A, B, C	List Price \$
Jet Guard UV	A family of premium, low-activation temperature (185° F - 205° F) laminating films that offer high-impact color enhancement, sharp contrast, UV protection and optimum durability.			
Gloss 3mil (1/2) polyester	62102	25" x 250' (635mm x 76m)	C	104.00
	62103	38" x 250' (965mm x 76m)	A	158.00
	62104	43" x 250' (1.09 x 76m)	B	178.00
	62105	51" x 250' (1.29 x 76m)	A	213.00
	62106	55" x 250' (1.40 x 76m)	C	226.00
	62107	61" x 250' (1.55 x 76m)	C	262.00
	62101	38" x 25' (965mm x 7.6m)	N/A	28.00
Gloss 5mil (3/2) polyester	62112	25" x 250' (635mm x 76m)	C	164.00
	62113	38" x 250' (965mm x 76m)	A	247.00
	62114	43" x 250' (1.09 x 76m)	A	281.00
	62115	51" x 250' (1.29 x 76m)	A	330.00
	62116	55" x 250' (1.40 x 76m)	C	357.00
	62117	61" x 250' (1.55 x 76m)	B	391.00
	62111	38" x 25' (965mm x 7.6m)	N/A	28.00
Gloss 10mil (7/3) polyester	62122	25" x 250' (635mm x 76m)	C	316.00
	62123	38" x 250' (965mm x 76m)	A	487.00
	62125	51" x 250' (1.29 x 76m)	A	644.00
	62126	55" x 250' (1.40 x 76m)	B	700.00
	62121	38" x 25' (965mm x 7.6m)	N/A	36.00
Luster 3mil (1/2) polyester	62133	38" x 250' (965mm x 76m)	A	226.00
	62134	43" x 250' (1.09 x 76m)	B	254.00
	62135	51" x 250' (1.29 x 76m)	B	287.00
	62131	38" x 25' (965mm x 7.6m)	N/A	28.00
Matte 3mil (1/2) polyester	62142	25" x 250' (635mm x 76m)	C	164.00
	62143	38" x 250' (965mm x 76m)	B	241.00
	62145	51" x 250' (1.29 x 76m)	B	322.00
	62141	38" x 25' (965mm x 7.6m)	N/A	28.00
Jet Guard Crystal Matte	Ideal for trade show graphics, this film offers a clear matte finish that reduces reflected light and enriches print colors as it protects. 6mil (3.4/2.6) multi-layer film with polyester film.			
	4115	38" x 150' (965mm x 45.7m)	B	460.00
	4116	51" x 150' (1.29 x 45.7m)	B	595.00
	4117	55" x 150' (1.40 x 45.7m)	C	642.00
	4118	61" x 164' (1.55 x 50m)	C	777.00
	60283	38" x 25' (965mm x 7.6m)	N/A	36.00
Jet Guard Deep Crystal	Enhances color and protects with a durable, scratch-resistant, textured surface and a satin matte finish. Perfect for pop-up and large display applications. 6mil (3.4/2.6) multi-layer film with polyester core.			
	4110	38" x 150' (965mm x 45.7m)	A	426.00
	4111	51" x 150' (1.29 x 45.7m)	A	541.00
	4112	55" x 150' (1.40 x 45.7m)	B	583.00
	4113	61" x 164' (1.55 x 50m)	B	709.00
	60275	38" x 25' (965mm x 7.6m)	N/A	29.00



Heat-Activated Laminating Films continued...

Item #	Description	A, B, C	List Price \$
ThermaShield	A family of economical, high-activation temperature (185° F - 235° F) laminating films designed to protect and enhance images in a variety of display applications. Ideal for use on any SEAL multi-temperature roller laminator.		
Gloss 1.7mil polyester	Offers a crisp, high-polished finish that sharpens colors and creates a brilliant visual impact.		
62402	38" x 500' (965mm x 152m)	C	138.00
62403	51" x 500' (1.29 x 152m)	B	184.00
62404	38"x 25' (965mm x 7.6m)	N/A	28.00
Gloss 3mil (1/2) polyester			
62406	38" x 500' (965mm x 152m)	A	194.00
62410	43" x 500' (1.09 x 152m)	A	234.00
62407	51" x 500' (1.29 x 152m)	B	275.00
62409	38" x 25' (965mm x 7.6m)	N/A	25.00
Gloss 5mil (2/3) polyester			
62411	38" x 250' (965mm x 76m)	A	206.00
62415	43" x 250' (1.09 x 76m)	C	262.00
62412	51" x 250' (1.29 x 76m)	B	287.00
62414	38"x 25' (965mm x 7.6m)	N/A	28.00
Gloss 10mil (4/6) polyester			
62416	38" x 250' (965mm x 76m)	A	432.00
62417	51" x 250' (1.29 x 76m)	B	577.00
62419	38" x 25' (965mm x 7.6m)	N/A	28.00
Luster 3mil (1/2) polyester	Provides a semi-reflective, sparkling finish which enhances image contrast and reduces glare from direct light.		
62421	38" x 500' (965mm x 152m)	C	310.00
62422	51" x 500' (1.29 x 152m)	B	419.00
62423	61" x 500' (1.55 x 152m)	C	500.00
62424	38" x 25' (965mm x 7.6m)	N/A	28.00
Matte 3mil (1/2) polyester	Creates a softening effect that diminishes reflections and glare, as well as hides imperfections.		
62426	38" x 500' (965mm x 152m)	B	330.00
62430	43" x 500' (1.09 x 152m)	B	372.00
62427	51" x 500' (1.29 x 152m)	B	439.00
62429	38" x 25' (965mm x 7.6m)	N/A	28.00



Pressure-Sensitive Laminating Films

Item #	Description	A, B, C	List Price \$
Print Shield Premium UV	Print Shield Premium UV is a family of high performance laminating films designed to provide excellent image protection, a superior bond and superb UV protection thanks to a solvent acrylic adhesive containing a high concentration of ultraviolet absorbers.		
Gloss	Provides a thin, brilliant finish that boosts color and offers crisp definition. 3mil (1.6/1.4) polypropylene film with single paper release liner.		
62244	38" x 200' (965mm x 61m)	C	522.00
62245	41" x 200' (1.04 x 61m)	B	564.00
62247	51" x 200' (1.29 x 61m)	A	699.00
62241	38" x 25' (965mm x 7.6m)	N/A	36.00
Luster	This film deepens and enhances colors, type and lines while maintaining excellent clarity. 3mil (2/1) PVC with single paper release liner.		
62264	38" x 200' (965mm x 61m)	C	558.00
62265	41" x 200' (1.04 x 61m)	B	601.00
62267	51" x 200' (1.29 x 61m)	A	742.00
62268	51" x 400' (1.29 x 122m)	A	1,485.00
62261	38" x 25' (965mm x 7.6m)	N/A	36.00
Matte	A flat, non-reflective finish that yields a softening effect to lines and images. 4mil (3/1) PVC with single paper release liner.		
62284	38" x 200' (965mm x 61m)	C	596.00
62285	41" x 200' (1.04 x 61m)	C	643.00
62287	51" x 200' (1.29 x 61m)	A	792.00
62281	38" x 25' (965mm x 7.6m)	N/A	42.00
Print Shield Standard UV	Print Shield Standard UV utilizes a water based acrylic adhesive to enhance and protect images while providing a superior bond and good UV protection.		
Gloss	Provides a thick, glossy finish that heightens color and sharpens definition. 3.5mil (2.5/1.0) PVC film with single paper release liner.		
62202	25" x 200' (635mm x 61m)	C	233.00
62230	30" x 200' (762mm x 61m)	C	282.00
62203	38" x 200' (965mm x 61m)	B	360.00
62204	41" x 200' (1.04 x 61m)	C	385.00
62250	43" x 200' (1.09 x 61m)	C	404.00
62205	51" x 200' (1.29 x 61m)	A	487.00
62208	51" x 400' (1.29 x 122m)	C	858.00
62231	54" x 200' (1.37 x 61m)	C	519.00
62209	55" x 200' (1.40 x 61m)	C	525.00
62232	60" x 200' (1.52 x 61m)	C	577.00
62206	61" x 200' (1.55 x 61m)	B	580.00
62207	79" x 164' (2.0 x 50m)	C	1,209.00
62201	38" x 25' (965mm x 7.6m)	N/A	25.00



Pressure-Sensitive Laminating Films continued...

Item #	Description	A, B, C	List Price \$
Luster			
Enriches color, text and lines while maintaining excellent clarity. 3.5mil (2.5/1.0) PVC with single paper release liner.			
62212	25" x 200' (635mm x 61m)	C	233.00
62233	30" x 200' (762mm x 61m)	C	282.00
62213	38" x 200' (965mm x 61m)	A	360.00
62214	41" x 200' (1.04 x 61m)	A	385.00
62251	43" x 200' (1.09 x 61m)	B	404.00
62215	51" x 200' (1.29 x 61m)	A	487.00
62218	51" x 400' (1.29 x 122m)	B	858.00
62234	54" x 200' (1.37 x 61m)	C	519.00
62219	55" x 200' (1.40 x 61m)	C	525.00
62235	60" x 200' (1.52 x 61m)	C	577.00
62216	61" x 200' (1.55 x 61m)	B	580.00
62217	79" x 164' (2.0 x 50m)	C	1,213.00
62211	38" x 25' (965mm x 7.6m)	N/A	32.00
Matte			
A non-reflective, smooth, clear, flat finish which adds definition and depth. 4.0mil (2.9/1.1) PVC film with single release paper liner.			
62222	25" x 200' (635mm x 61m)	C	247.00
62236	30" x 200' (762mm x 61m)	C	295.00
62223	38" x 200' (965mm x 61m)	B	378.00
62224	41" x 200' (1.04 x 61m)	B	404.00
62252	43" x 200' (1.09 x 61m)	C	423.00
62225	51" x 200' (1.29 x 61m)	A	505.00
62228	51" x 400' (1.29 x 122m)	B	900.00
62237	54" x 200' (1.37 x 61m)	B	542.00
62229	55" x 200' (1.40 x 61m)	C	547.00
62238	60" x 200' (1.52 x 61m)	C	601.00
62226	61" x 200' (1.55 x 61m)	A	605.00
62227	79" x 164' (2.01 x 100m)	B	1,209.00
62221	38" x 25' (965mm x 7.6m)	N/A	32.00
Print Shield Polycarbonate			
A high quality pressure-sensitive laminate with the most durability. 5, 10 and 15mil polycarbonate film with single release paper liner.			
5 mil			
62702	38" x 150' (965mm x 45.7m)	C	784.00
62703	51" x 150' (1.29 x 45.7m)	C	1,038.00
62704	60" x 150' (1.5 x 45.7m)	C	1,221.00
62701	38" x 25' (965mm x 7.6m)	N/A	52.00
10 mil			
62712	38" x 150' (965mm x 45.7m)	B	1,026.00
62713	51" x 150' (1.29 x 45.7m)	B	1,371.00
62714	60" x 150' (1.5 x 45.7m)	B	1,610.00
62711	38" x 25' (965mm x 7.6m)	N/A	68.00
15 mil			
62722	38" x 150' (965mm x 45.7m)	C	1,290.00
62723	51" x 150' (1.29 x 45.7m)	C	1,714.00
62724	60" x 150' (1.5 x 45.7m)	C	2,012.00
62721	38" x 25' (965mm x 7.6m)	N/A	86.00



Pressure-Sensitive Laminating Films continued...

Item #	Description	A, B, C	List Price \$
Print Shield Floor Guard			
A premium pressure sensitive over-laminating film that features an ultra-aggressive adhesive – perfect for tough-to-stick-to-media such as polyester based white films. It offers a durable, rich-textured finish that is ideal for creating vibrant, slip and scuff resistant floor graphics. Not just for floor graphics: Print Shield Floor Guard is also an excellent choice for protecting trade show graphics and point-of-purchase displays from heavy wear and finger prints.			
62294	38" x 200' (965mm x 61m)	B	589.00
62297	51" x 200' (1.29 x 61m)	A	777.00
62298	55" x 200' (1.4 x 61m)	C	784.00
62299	61" x 200' (1.55 x 61m)	C	874.00
62291	38" x 25' (965mm x 7.6m)	N/A	72.00
Print Shield Deep Crystal			
A unique, pressure-sensitive over-laminate with a scratch-resistant, crystal-textured satin finish. Used in conjunction with PS Spotlight, Deep Crystal produces a durable solution for pop-up displays without the use of heat. 6mil (3.4/2.6) multi-layer film with polyester core.			
63016	38" x 200' (965mm x 61m)	A	629.00
63017	51" x 200' (1.29 x 61m)	A	797.00
63015	38" x 25' (965mm x 7.6m)	N/A	37.00
SEAL Write			
A glossy, pressure-sensitive polypropylene film that affords high washability, allowing you to turn virtually any image into a write-on/wipe-off chart or display. 2mil (1/1) polypropylene film with single paper release liner.			
2082	38" x 200' (965mm x 61m)	B	448.00
2080	51" x 200' (1.29 x 61m)	A	601.00
60741	25" x 25' (635mm x 7.6m)	N/A	31.00

Pressure-Sensitive Mounting Adhesives

Item #	Description	A, B, C	List Price \$
Print Mount Ultra			
Mounts with unsurpassed smoothness! A premium, white adhesive that hides substrate blemishes and conforms to curved surfaces. Excellent for thin media and preventing dark substrates or light from bleeding through. Ideal for use indoors or outdoors. 3mil solvent acrylic adhesive with white polypropylene carrier and single release liner.			
1657	25" x 200' (635mm x 61m)	C	496.00
1622A	31" x 200' (787mm x 61m)	B	570.00
1659	38" x 200' (965mm x 61m)	A	787.00
1649-9	41" x 200' (1.04 x 61m)	A	809.00
1658	43" x 200' (1.09 x 61m)	A	886.00
1649-6	51" x 200' (1.29 x 61m)	A	902.00
1625	51" x 400' (1.29 x 122m)	A	1,638.00
1648	54" x 200' (1.37 x 61m)	B	952.00
60668	38" x 25' (965mm x 7.6m)	N/A	51.00
Print Mount Plus			
Premium pressure-sensitive adhesive perfect for mounting digital, photographic and reprographic prints to a variety of substrates including cardboard, foam board, wood, and plastic. Provides a strong permanent bond and can be used in both indoor and outdoor applications. 2.75 mil solvent acrylic adhesive with clear polyester carrier and single release paper.			
2344	25" x 200' (635mm x 61m)	C	448.00
2341	38" x 200' (965mm x 61m)	A	671.00
1344-1	41" x 200' (1.04 x 61m)	A	699.00
2333	43" x 200' (1.09 x 61m)	B	761.00
1347-1	51" x 200' (1.29 x 61m)	A	775.00
1348	51" x 400' (1.29 x 122m)	A	1,410.00
2342	61" x 200' (1.55 x 61m)	A	979.00
60662	38" x 25' (965mm x 7.6m)	N/A	48.00



Pressure-Sensitive Mounting Adhesives continued...

Item #	Description	A, B, C	List Price \$
Print Mount White			
A high quality, economical, opaque white mounting adhesive designed for pre-coating stable panels and media used for indoor applications. PM White keeps dark substrates from bleeding through, especially when using thin media. 3mil water-based acrylic adhesive with white polypropylene carrier.			
62000	25" x 200' (635mm x 61m)	C	352.00
62009	31" x 200' (787mm x 61m)	C	372.00
62001	38" x 200' (965mm x 61m)	A	527.00
62002	41" x 200' (1.04 x 61m)	B	559.00
62003	43" x 200' (1.09 x 61m)	B	596.00
62004	51" x 200' (1.29 x 61m)	A	612.00
62005	51" x 400' (1.29 x 122m)	A	990.00
62006	61" x 200' (1.55 x 61m)	A	730.00
62007	79" x 200' (2.0 x 61m)	B	947.00
62008	38" x 25' (965mm x 7.6m)	N/A	33.00
Print Mount Delta			
An excellent economical adhesive for digital prints. It has a high initial tack that permanently bonds to both soft and rigid substrates. Ideal for use in indoor and short-term outdoor applications. 2mil pressure-sensitive adhesive with clear polyester carrier and single release liner.			
63160	25" x 200' (635mm x 61m)	A	293.00
63161	31" x 200' (787mm x 61m)	B	366.00
63162	38" x 200' (965mm x 61m)	A	451.00
63163	41" x 200' (1.04 x 61m)	A	480.00
63164	43" x 200' (1.09 x 61m)	A	507.00
63165	51" x 200' (1.29 x 61m)	A	515.00
63166	51" x 400' (1.29 x 122m)	A	919.00
63168	61" x 200' (1.55 x 61m)	B	725.00
63170	38" x 25' (965mm x 7.6m)	N/A	32.00
Print Mount DualTemp			
Print Mount® DualTemp™ is a permanent, clear, polyester mounting adhesive that features a 2.0 mil extruded copolymer low-melt adhesive on one side, and a 1.0 mil pressure sensitive acrylic adhesive on the other. A clear polyester liner is used to protect the pressure sensitive adhesive. Economical Print Mount DualTemp allows you to easily create a pressure-sensitive decal and thermally encapsulate your image in one pass through a roller laminator.			
63241	38" x 200' (965mm x 61m)	C	366.00
63244	51" x 200' (1.29 x 61m)	A	491.00
63246	38" x 25' (965mm x 7.6m)	N/A	27.00
Eco Mount			
SEAL Eco Mount is a water-based, polyacrylate, unsupported, pressure-sensitive adhesive that is both recyclable and environmentally degradable. With no carrier film, and a selective chemistry that offers optimum bonding performance while minimizing the impact on paper recycling streams, Eco Mount offers customers a mounting adhesive that can be recycled with corrugated and paper products. And because the cost of a carrier film is not a factor in its manufacturing, Eco Mount is very economical.			
63182	38" x 200' (965mm x 61m)	C	292.00
63185	51" x 200' (1.29 x 61m)	C	391.00
63180	38" x 25' (965mm x 7.6m)	N/A	27.00



Pressure-Sensitive Mounting Adhesives continued...

	Item #	Description	A, B, C	List Price \$
Print Mount Removable		A clear, permanent/removable mounting adhesive for all print media. Permanent side bonds firmly to your print while the removable side provides a secure bond to floors or surfaces but allows the graphic to be removed when necessary. 4mil water-based acrylic adhesive with clear PVC carrier and single release liner.		
	2977	38" x 200' (965mm x 61m)	A	562.00
	2976	51" x 200' (1.29 x 61m)	A	682.00
	60293	38" x 25' (965mm x 7.6m)	N/A	46.00
OptiMount Ultra		A double-sided, optically clear pressure-sensitive mounting adhesive for face mounting inkjet, photographic, electrostatic or plain paper media to clear acrylics, plastics and glass. OptiMount features UV absorbers to protect images from fading and creates a permanent bond to both the graphics and substrates. Its acid-free adhesive coating performs flawlessly in vented light box applications. 3mil solvent acrylic adhesive with polyester carrier.		
	62051	31" x 200' (787mm x 61m)	B	1,093.00
	62052	41" x 200' (1.04 x 61m)	A	1,451.00
	62053	51" x 200' (1.29 x 61m)	A	1,627.00
	62054	51" x 400' (1.29 x 122m)	A	3,043.00
	62056	31" x 50' (787mm x 15m)	N/A	231.00

Heat-Activated Backing Films

	Item #	Description	A, B, C	List Price \$
Stoptlight		Stoptlight is an opaque, white, heat-activated (200° F), flexible polyester-based backing film with an aluminum layer offering rigidity and rollability with excellent lay-flat memory. It is ideal for use in pop-up and panel display applications. Stoptlight is available in three thicknesses and consists of a multi-layer film with polyester core.		
Stoptlight 115	62026	38" x 200' (965mm x 61m)	C	470.00
4.5mil (3/1.5)	62024	38" x 25' (965mm x 7.6m)	N/A	31.00
Stoptlight 220	60660	38" x 200' (965mm x 61m)	A	803.00
9mil (7/2)	60675	51" x 200' (1.29 x 61m)	A	1,059.00
	60669	38" x 25' (965mm x 7.6m)	N/A	85.00
Stoptlight 320	63021	38" x 200' (965mm x 61m)	A	1,444.00
12.5 mil (11/1.5)	63022	51" x 200' (1.29 x 61m)	A	1,939.00
	63020	38" x 25' (965mm x 7.6m)	N/A	92.00
ThermaShield MB		A low temperature (200° F), heat-activated, solid white paper-based backing material with an outer polypropylene film surface that is ideal for backing prints in encapsulating applications. Its thickness controls light bleed-through while offering the pliable rigidity needed for flexible applications. ThermaShield MB offers additional protection to prints by providing an outer surface that repels moisture, oils and dirt. Consists of a 10 mil (9/1) opaque white paper with polypropylene film surface.		
	3876	38" x 250' (965mm x 76m)	A	265.00
	3877	43" x 250' (1.09 x 76m)	C	295.00
	3878	51" x 250' (1.29 x 76m)	B	336.00
	3879	55" x 250' (1.40 x 76m)	C	376.00
	62485	61" x 250' (1.55 x 61m)	C	394.00
	60672	38" x 25' (965mm x 7.6m)	N/A	31.00



Pressure-Sensitive Backing Films

Item #	Description	A, B, C	List Price \$
PS Stoplight	PS Stoplight is an opaque, white, flexible, pressure-sensitive polyester film with an aluminum layer offering rigidity and rollability with excellent lay-flat memory. Stoplight is ideal for use in pop-up ad panel display applications, as well as a wide range of display applications that require extra durability. Available in two thicknesses and constructed from a multi-layer film with polyester core and single paper release liner.		
PS Stoplight 220 7.1mil (6.1/1)	63006 38" x 200' (965mm x 61m)	B	886.00
	63007 51" x 200' (1.29 x 61m)	B	1,168.00
	63005 38" x 25' (965mm x 7.6m)	N/A	49.00
PS Stoplight 320 12.6 mil (7.6/5)	63292 38" x 200' (965mm x 61m)	A	1,573.00
	63293 51" x 200' (1.29 x 61m)	B	2,125.00
	63291 38" x 25' (965mm x 7.6m)	N/A	53.00

ProSEAL Pouch Boards & Pouches

Item #	Description	A, B, C	List Price \$
ProSEAL Pouch Boards	Designed to create indoor signs, displays or presentation materials quickly, easily and with minimal waste. Pouch boards produce rigid displays with optimum image enhancement and protection. Each pouch board is manufactured with a rigid, heat-activated adhesive-coated 3/16" foam board with a 5mil over-laminate attached by a 1/4" adhesive strip across the short edge. 10 Pouch Boards per box.		
Gloss / White	62305 25" x 37" (635mm x 940mm)	A	158.00
	62306 37" x 49" (940mm x 1245mm)	A	316.00
	62307 41" x 61" (1025mm x 1525mm)	A	407.00
Deep Crystal / White	62310 25" x 37" (635mm x 940mm)	A	183.00
	62311 37" x 49" (940mm x 1245mm)	A	355.00
	62312 41" x 61" (1025mm x 1525mm)	B	473.00
Gloss / Black	62320 25" x 37" (635mm x 940mm)	A	177.00
	62321 37" x 49" (940mm x 1245mm)	B	348.00
	62322 41" x 61" (1025mm x 1525mm)	B	487.00
Deep Crystal / Black	62325 25" x 37" (635mm x 940mm)	A	204.00
	62326 37" x 49" (940mm x 1245mm)	A	387.00
Pouch Board Sample Box	62302 (4) 8 1/2" x 11" 2 gloss, 2 matte	N/A	21.00
ProSEAL Mounting Boards	Provides an economical mounting solution for a wide range of media where no protective laminate is required. Excellent for indoor display and presentation materials, each mount board consists of a rigid, heat-activated adhesive-coated 3/16" foam board. 10 Mounting Boards per box.		
White	62340 25" x 37" (635mm x 940mm)	A	118.00
	62341 37" x 49" (940mm x 1245mm)	A	230.00
	62342 41" x 61" (1025mm x 1525mm)	B	296.00
Black	62345 25" x 37" (635mm x 940mm)	B	139.00
	62346 37" x 49" (940mm x 1245mm)	B	257.00
	62347 41" x 61" (1025mm x 1525mm)	B	348.00



ProSEAL Pouch Boards & Pouches continued...

Item #	Description	A, B, C	List Price \$
ProSEAL Clear Pouches			
Designed to create indoor signs, displays or presentation materials where flexibility is a necessity. Pouches consist of 5mil gloss polyester laminate top and bottom. Packs include 25 pouches plus one sled for processing.			
60659	18.5" x 24.5" (470mm x 622mm)	B	130.00
60666	25" x 37" (635mm x 940mm)	A	248.00
60679	37" x 49" (940mm x 1245mm)	A	491.00
ProSEAL Opaque Back Pouches			
Designed to create indoor signs, displays or presentation materials where flexibility is a necessity. Pouches consist of 5mil gloss polyester laminate with ThermoShield MB white backing. Packs include 25 pouches plus one sled for processing.			
60686	18.5" x 24.5" (470mm x 622mm)	C	104.00
60697	25" x 37" (635mm x 940mm)	B	205.00
60708	37" x 49" (940mm x 1245mm)	B	411.00
SEAL Sled			
A 3/16" foam board with a siliconized paper facer for use with encapsulation pouches - 3 sleds per box.			
62360	26" x 39" (660mm x 991mm)	C	55.00
62361	38" x 50" (965mm x 1.27m)	C	104.00
ProSEAL Mounting Pouches			
Looking to create a mounted graphic but with your choice of substrate? SEAL Mounting Pouches give you the flexibility and performance with a unique SuperStick™ adhesive that will laminate and mount your print to any substrate in one easy step. 10 Mounting Pouches per box.			
Gloss			
62374	24"x36" (610mm x 914mm)	C	60.00
62375	30"x40" (762mm x 1.02m)	C	78.00
62376	36"x48" (914mm x 1.22m)	C	107.00
Matte			
62384	24"x36" (610mm x 914mm)	C	101.00
62385	30"x40" (762mm x 1.02m)	C	134.00
62386	36"x48" (914mm x 1.22m)	C	188.00

SEAL Eco Board by Xanita

Item #	Description	Thickness	List Price \$
X-Board			
Available in two thicknesses (3/8" and 1/2"), X-Board utilizes a 100% recycled natural-fiber Kraft-board core to create an earth friendly composite board with a white paper top. This versatile product can be both screen or digitally printed, and has an indoor durability of approximately three years. Then it is easily cut and shaped using a hand-held knife, mitered using a circular saw, or cut directly from electronic files via a CAD-CAM system.			
62580	48" x 96"	3/8"	Call for current pricing.
62584	48" x 96"	1/2"	Call for current pricing.
Mondi Xtreme			
Mondi Xtreme is a 100% natural, fiber-based Kraft board for indoor and outdoor applications. This product does not contain any waxes or polyethylenes, yet performs as well, if not better than, traditional PVC and plastic display products. Its superior water or moisture resistance helps to provide excellent lie-flat properties, plus indoor durability of approximately three years and outdoor durability of up to four months. Xtreme Board can be printed using solvent or UV inks with either screen or digital flat bed printers.			
62570	38" x 72"	1/16"	Call for current pricing.
62574	50" x 72"	1/16"	Call for current pricing.
Mondi Indoor			
This 100% recyclable and re-pulpable, printable, Kraft-based board is reinforced to maintain exceptional stability in virtually any indoor application. Its white paper liner provides excellent printability when used with solvent-based or UV printing systems. Mondi Indoor is approximately 1/16" thick. It is ideal for trade show and exhibition graphics, retail displays including POP, hanging or floor signage and wall graphics. Use this product indoors for a minimum of three years when applied under normal approved conditions.			
62560	24" x 72"	1/16"	Call for current pricing.
62564	50" x 72"	1/16"	Call for current pricing.



Inkjet Media

Item #	Description	A, B, C	Price Per Roll
			List Price \$
Inkjet Stoplight	An inkjet printable substrate with a light-blocking backing film. Ideal for one of the most demanding applications: display graphics for pop-up panels, roll-up systems and banner stands. Combines the unique properties of the SEAL Stoplight range of backing films with a universal inkjet coating, providing an extremely efficient, cost-effective, one-step product. All inkjet media is provided on a 2" core unless otherwise noted.		
Inkjet Stoplight 200	Inkjet printable substrate with a light-blocking backing film. 8 mil thickness is ideal for banner displays and roll-up systems.		
61402	38" x 100' (965mm x 30.5m)	B	393.00
61403	51" x 100' (1.29 x 30.5m)	C	524.00
61401	38" x 25' (965mm x 7.6m)	N/A	49.00
Inkjet Stoplight 300	Inkjet printable substrate with a light-blocking backing film. 12 mil thickness is ideal for use with pop-up display systems.		
61407	38" x 65' (965mm x 19.8m)	C	343.00
61408	51" x 65' (1.29 x 19.8m)	C	459.00
61406	38" x 25' (965mm x 7.6m)	N/A	60.00

Inkjet Textiles

Item #	Description	A, B, C	List Price \$
*All Seal Inkjet Textiles are supplied on a 2" core.			
Inkjet Light Banner Fabric	A coated, 100% polyester, inkjet printable fabric for light to medium duty applications. It is 200 microns thick with a weight of 122 grams/square meter.		
61421	36" x 150' (914mm x 46m)	C	515.00
61422	42" x 150' (1.07 x 46m)	C	603.00
61423	50" x 150' (1.27 x 46m)	C	712.00
61424	60" x 150' (1.52 x 46m)	C	858.00
61425	36" x 15' (914mm x 4.6m)	N/A	31.00
Inkjet Heavy Banner Fabric	This new and improved product is 100% polyester fabric for use with dye and pigmented inks. It offers great opacity and durability and is excellent for use in roll-up display systems. No special finishing is needed, as the material won't fray on the edges. It is 285 microns (11 mil) thick with a weight of 240 g/m ² (7.1 oz/yd ²)		
6024519	36" x 98' (914mm x 30m)	B	307.00
6024520	42" x 98' (1.07 x 30m)	B	359.00
6024521	50" x 98' (1.27 x 30m)	C	426.00
6024523	60" x 98' (1.52 x 30m)	C	510.00

Solvent Inkjet Media

Item #	Description	A, B, C	Price Per Roll	
			List Price \$	
All Inkjet Vinyls are provided on a 3" core.				
Inkjet Solvent Premier Vinyl-SPG	Constructed from premium-grade, adhesive backed, bright white calendered vinyl with a brilliant glossy finish. Enables vibrant solvent ink printing colors to be achieved for production of indoor and outdoor graphics.			
61301	30" x 75' (762mm x 23m)	C	83.00	
61302	30" x 150' (762mm x 45.7m)	C	143.00	
61303	54" x 150' (1.37 x 45.7m)	C	253.00	
61304*	54" x 300' (1.37 x 91.5m)	C	507.00	
61305	60" x 150' (1.52 x 45.7m)	C	281.00	
61306*	60" x 300' (1.52 x 91.5m)	C	557.00	
61307	30" x 25' (762mm x 7.6m)	N/A	28.00	
* Available as a special cut only. Call for lead times and minimum order requirements.				
Inkjet Solvent Economy Vinyl	Constructed from monomeric calendered vinyl, with a permanent adhesive back and bright white appearance, which enables vibrant colors to be achieved. This product is suitable for short-term outdoor banners and signage, as well as for indoor exhibition and POP graphics.			
Gloss	61341	30" x 75' (762mm x 23m)	C	64.00
	61342	30" x 150' (762mm x 45.7m)	C	109.00
	61343	54" x 150' (1.37 x 45.7m)	B	163.00
	61344*	54" x 300' (1.37 x 91.5m)	C	306.00
	61345	60" x 150' (1.52 x 45.7m)	C	180.00
	61346*	60" x 300' (1.52 x 91.5m)	C	340.00
	61347	30" x 25' (762mm x 7.6m)	N/A	28.00
Matte	61331	30" x 75' (762mm x 23m)	C	64.00
	61332	30" x 150' (762mm x 45.7m)	C	109.00
	61333	54" x 150' (1.37 x 45.7m)	C	163.00
	61334*	54" x 300' (1.37 x 91.5m)	C	306.00
	61335	60" x 150' (1.52 x 45.7m)	C	180.00
	61336*	60" x 300' (1.52 x 91.5m)	C	340.00
	61337	30" x 25' (762mm x 7.6m)	N/A	28.00
* Available as a special cut only. Call for lead times and minimum order requirements.				



The following is a list of Neschen Brand products that have been approved for SEAL resellers to purchase. For more detailed information on these products please visit www.neschenbrands.com.

**Digital Print Media for Water-based Inks****PrintLux® Easy Panel 310**

This rigid 12 mil PVC media is specially coated to produce excellent print quality with dye and pigment water-based inks. The opaque appearance, plus scratch and water resistance when printed with pigment based inks, make this an ideal choice for banner stands and pop-up displays. Its NFPA 701 certification allows for use at trade shows and other public venues.

Item#	Width	Length	Thickness	List Price
6025070	36"	65'	12 mil	207.00
6025073	42"	65'	12 mil	242.00
60076	36"	10'	12 mil	40.00

PrintLux® Easy Panel 430

This rigid 17 mil PVC media is specially coated to produce excellent print quality with dye and pigment water-based inks. The opaque appearance, plus scratch and water resistance when printed with pigment based inks, make this an ideal choice for banner stands and pop-up displays. Its NFPA 701 certification allows for use at trade shows and other public venues.

Item#	Width	Length	Thickness	List Price
6025067	36"	65'	17 mil	248.00
6025069	42"	65'	17 mil	289.00
60078	36"	10'	17 mil	40.00

PrintLux® Nolite 350

For use with dye and pigment inks, this 14 mil matte polyester media provides 100% opacity with the integrated block out layer. Nolite 350 features a stiff construction, with no edge curl, that works perfectly in a wide variety of indoor and short-term outdoor banner and display applications.

Item#	Width	Length	Thickness	List Price
6023940	36"	65'	14 mil	\$ 318.00
60080	36"	10'	14 mil	\$ 45.00

Digital Print Media for Solvent-based Inks**SolvoPrint® Easy Panel 310**

This rigid 12 mil PVC media is specially coated to produce excellent print quality with solvent, eco-solvent and UV inks. The opaque appearance, plus scratch and water resistance when printed with pigment based inks, make this an ideal choice for banner stands and pop-up displays. Its NFPA 701 certification allows for use at trade shows and other public venues.

Item#	Width	Length	Thickness	List Price
6025076	36"	65'	12 mil	\$ 207.00
6025077	42"	65'	12 mil	\$ 242.00
60070	36"	20'	12 mil	\$ 60.00

SolvoPrint® Easy Panel 430

This rigid 17 mil PVC media is specially coated to produce excellent print quality with solvent, eco-solvent and UV inks. The opaque appearance, plus scratch and water resistance when printed with pigment based inks, make this an ideal choice for banner stands and pop-up displays. Its NFPA 701 certification allows for use at trade shows and other public venues.

Item#	Width	Length	Thickness	List Price
6025074	36"	65'	17 mil	\$ 248.00
6025075	42"	65'	17 mil	\$ 289.00
60071	36"	20'	17 mil	\$ 60.00

SolvoPrint® Nolite 350

For use with solvent, eco-solvent and UV inks, this 14 mil matte polyester media provides 100% opacity with the integrated block out layer. Nolite 350 features a stiff construction, with no edge curl, that works perfectly in a wide variety of indoor and short-term outdoor banner and display applications.

Item#	Width	Length	Thickness	List Price
6023941	36"	65'	14 mil	\$ 318.00
60072	36"	20'	14 mil	\$ 60.00



Digital Print Media for Solvent-based Inks continued



SolvoPrint® Paper 240 Satin

This bright white, 9 mil photo paper is designed for use with solvent, eco-solvent and UV inks. It produces vibrantly-colored photorealistic images for use with photo prints, posters and trade show graphics. We recommend encapsulation for indoor and short-term outdoor display graphics.

Item#	Width	Length	Thickness	List Price
6025065	54"	164'	9 mil	\$ 210.00
6025066	60"	164'	9 mil	\$ 233.00
60073	27"	20'	9 mil	\$ 30.00

SolvoPrint® Performance Air Glide 60

The premium self adhesive vinyl features a micro adhesive structure that allows air to escape when being applied. This results in a bubble-free installation on cars, trucks, buses, vending machines or any exterior outdoor signage. All of this can be accomplished without the need for application fluids or soap and water solutions.

Item#	Width	Length	Thickness	List Price
62744	54"	150'	2 mil	\$ 565.00
62745	54"	300'	2 mil	\$ 1,113.00
62741	27"	15'	2 mil	\$ 80.00

Prime X Banner Stands and Displays

X-Banner Medium

The X-Banner MEDIUM is a lightweight system that is perfectly suited for indoor presentations. The system comes with a soft bag carrying case for easy transport.

Item#	Visual Size	Width	Height	List Price
4001038		26.4"	66.1"	\$ 34.00

Roll Up Econ

Need to get your graphics installed quickly? It takes about 3 minutes to completely set up the Roll Up ECON! This is the ideal background display for short-term special events. The slim silver aluminum bars make it a lightweight system and the soft bag carrying case is included for easy transport.

Item#	Visual Size	Width	Height	List Price
4001135		33.5"	78.7"	\$ 38.00
4001136		39.4"	78.7"	\$ 45.00
4001137		47.2"	78.7"	\$ 54.00
4001205		59.1"	78.7"	\$ 99.00



Golden Gate Fabric

Golden Gate is an 8 oz/yd2 polyester fabric coated with PVC that is perfect for making the transition from printing on PVC banners to a more sophisticated textile. It offers the look and feel of a textile with the printing ease of PVC. This rugged indoor or outdoor product has an anti-fungal treatment that is ideal for use in damp environments and longer-term outdoor signage. It is also NFPA 701 fire rated – making it ideal for store signage, roll up and screen displays, murals, trade show graphics and POP displays in any public area. Golden Gate fabric will reproduce brilliant colors with most solvent and eco-solvent printers in the market.

Item#	Width	Length	List Price
6318002	42" (1.07 m)	164' (50 m)	Call for pricing.
6318003	54" (1.37 m)	164' (50 m)	Call for pricing.
6318004	61" (1.55 m)	164' (50 m)	Call for pricing.
6318005	71" (1.80 m)	164' (50 m)	Call for pricing.
6318006	80" (2.05 m)	164' (50 m)	Call for pricing.
6318007	98" (2.50 m)	164' (50 m)	Call for pricing.
6318001	20" (0.50 m)	10' (3 m)	Call for pricing.

VersaFabric

VersaFabric, a 7.7 oz/yd2, 100% polyester fabric with a specialty coating, is one of the most versatile fabrics on the market today. It is perfect for both indoor and outdoor applications where color, wrinkle resistance and drape are important. VersaFabric provides sharp image reproduction and brilliant color finish for dramatic trade show roll-up, pop-up and soft image displays, store signage, murals, POP displays, tent sides and theatrical backdrops. Plus, its NFPA 701 fire rating allows it to be used in public areas. This fabric is performance designed for use with most solvent, eco-solvent and UV cure printers on the market. VersaFabric is available in widths up to 98 inches.

Item#	Width	Length	List Price
6318012	41" (1.05 m)	50' (15 m)	Call for pricing.
6318013	54" (1.37 m)	164' (50 m)	Call for pricing.
6318014	61" (1.55 m)	164' (50 m)	Call for pricing.
6318015	90" (2.05 m)	164' (50 m)	Call for pricing.
6318016	98" (2.50 m)	164' (50 m)	Call for pricing.
6318011	20" (0.50 m)	10' (3 m)	Call for pricing.

Monet Canvas

Monet is a heavyweight 10 oz/yd2 coated canvas with a prominent tooth that is ideal for giclée art reproductions, as well as for eye-catching POP signage, trade show graphics and store signage. This strong, yet flexible, canvas features a uniform matte texture and its specialized coating allows for vibrant, photorealistic printing with a wide color gamut. Designed for use with most solvent, eco-solvent and UV printers on the market, Monet's tight weave also allows it to be used with vacuum-carried flat bed UV printers.

Item#	Width	Length	List Price
6318022	54" (1.37 m)	82' (25 m)	Call for pricing.
6318023	61" (1.55 m)	82' (25 m)	Call for pricing.
6318021	20" (0.50 m)	10' (3 m)	Call for pricing.

Mambo Fabric

Mambo is a 9 oz/yd2, 100% polyester fabric featuring a unique coating that provides for the highest color brilliance and the deepest, richest blacks. Its distinctive characteristics make it ideal for a wide variety of indoor and outdoor displays where the look and feel of fabric will enhance and add depth to the image. It will make a splash with store signage, backlit displays, murals, trade show graphics, POP displays, tent sides, and theatrical backdrops using Mambo fabric. This product is designed for printing with most solvent and eco-solvent printers on the market.

Item#	Width	Length	List Price
6318042	54" (1.37 m)	164' (50 m)	Call for pricing.
6318043	61" (1.55 m)	164' (50 m)	Call for pricing.
6318041	20" (0.50 m)	10' (3 m)	Call for pricing.

Calypso Breeze Satin

Calypso Breeze is a lightweight 3.5 oz/yd2 translucent satin polyester fabric. It features a specialty coating that delivers photo realistic imaging with a wide color gamut, fast dry time and excellent scratch resistance. The satin finish provides a distinctive look that is ideal for use in backlit and roll-up displays, window graphics and short-term outdoor signage – anywhere eye-catching visuals are required. Calypso Breeze is designed for use with most solvent, eco solvent and UV printers in the market.

Item#	Width	Length	List Price
6318052	54" (1.37 m)	100' (30.5 m)	Call for pricing.
6318053	60" (1.55 m)	100' (30.5 m)	Call for pricing.
6318051	20" (0.50 m)	10' (3 m)	Call for pricing.



Accu-18XE

Designed for professional photographic labs and studios, providing fully automatic, high speed, dry-to-dry, protective coating for digital and photographic images. Handles images form 5" x 7" to 18" x 24".

Item#	Electrical	Coating Width	List Price
63302	115V	18" (.45m)	Call for current pricing.

AccuCoat 1600

The AccuCoat 1600 increases the profitability of your business by providing cost effective, uniform and durable coating solutions that enhance and protect your digital graphics. Perfect for fleet and wallpaper applications.

Item#	Electrical	Coating Width	List Price
63461	240V	60" (1.5m)	Call for current pricing.

Accessories

Item#		List Price
A210195	#7 (69") Smooth drawdown bar	Call for current pricing.
A210196	#11 (69") Meyer drawdown bar	Call for current pricing.
A210197	#22 (69") Meyer drawdown bar	Call for current pricing.
A210174	#32 (69") Meyer drawdown bar	Call for current pricing.
A210198	#40 (69") Meyer drawdown bar	Call for current pricing.
A165115	Dam assembly right	Call for current pricing.
A165116	Dam assembly left	Call for current pricing.
A165133	Extra Supply Tank with pedestal and mounting hardware (includes all necessary plumbing)	Call for current pricing.
A165134	Extra Supply Tank without pedestal (includes all necessary plumbing)	Call for current pricing.
A540152	Infra red temperature monitoring device	Call for current pricing.
62615	AquaClean Cleaner for meyer bar and machine clean up - 4 x 1 gallon size	Call for current pricing.

AccuCoat 3300

The AccuCoat 3300 can be used for all wide-format digital solvent based prints up to 129" wide. It applies durable outdoor coatings for water, abrasion, UV and chemical protection.

Item#	Electrical	Coating Width	List Price
63471	230V	129" (3.3m)	Call for current pricing.

Accessories

Item#		List Price
A175113	3.3m 2 up option	Call for current pricing.
A175114	3.3m Tank level/flow sensor option	Call for current pricing.
A154150	220 VAC 3-phase wiring option	Call for current pricing.
A154122	Dual tank option	Call for current pricing.
A154131	#11 (129") Meyer drawdown assembly (bar and mounting brackets)	Call for current pricing.
A154130	#22 (129") Meyer drawdown assembly (bar and mounting brackets)	Call for current pricing.
A154146	#32 (129") Meyer drawdown assembly (bar and mounting brackets)	Call for current pricing.
A540152	Infra red temperature monitoring device	Call for current pricing.
62615	AquaClean cleaner for meyer bar and machine clean up - 4 x 1 gallon size	Call for current pricing.

AccuCure 60 & 80 UV

Engineered for super-high speed UV lamination of digital and photographic images. They feature an adjustable 3" nip for use with virtually any substrate.

Item#	Electrical	Coating Width	List Price
63315	220V	60" (1.6m)	Call for current pricing.
63317	380V	60" (1.6m)	Call for current pricing.
63316	220V	80" (2.0m)	Call for current pricing.
63318	380V	80" (2.0m)	Call for current pricing.

AccuCure 72 XUV

Designed to provide fully automatic, dry-to-dry, protective UV lamination for digital and photographic images up to 72" wide.

Item#	Electrical	Coating Width	List Price
63308	220V	72" (1.8m)	Call for current pricing.
63309	380V	72" (1.8m)	Call for current pricing.

**Liquid Coatings- Water-based****AccuLac™ 1000**

This water-based acrylic coating offers an economic way to protect your graphics. It is especially suited for use with photographs, and is available in either a clear or luster finish.

Item#	Finish	Size	List Price
5001001	Clear	1 Gallon	\$ 138.00
5001002	Luster	1 Gallon	\$ 138.00

AccuLac™ 1250

Use this water-based acrylic coating for an easy-to-clean solution to enhance and protect inkjet and photographic images. AccuLac 1250 produces less odor than other coatings and is available in a clear, luster and matte finish.

Item#	Finish	Size	List Price
5001251	Clear	1 Gallon	\$ 145.00
5001252	Luster	1 Gallon	\$ 145.00
5001253	Matte	1 Gallon	\$ 145.00

AccuLac™ 1400

This water-based urethane coating is not only easy-to-clean, but also has a low odor making it ideal for preserving and enhancing inkjet and photographic images. It is available in a clear finish.

Item#	Finish	Size	List Price
5001400	Clear	1 Gallon	\$ 170.00

AccuReplenisher™

Maintain and extend the life and performance of both AccuLac 1250 and AccuLac 1400 with Accureplenisher. When added, this innovative product restores and corrects the viscosity level that is often lost due to evaporation.

Item#	Finish	Size	List Price
5005000	N/A	1 Gallon	\$ 20.00

UltraCoat® Anti Stain

This unique urethane acrylic blend provides resistance against markings by paint, magic markers, grease sticks and other markers used to deface graphics.

Item#	Finish	Size	List Price
62601	High Gloss	5 Gallon	\$ 799.00
62602	High Gloss	55 Gallon	\$ 5,720.00

UltraCoat® Fleet

Engineered specifically for fleet graphics of all types. The semi-gloss properties of UltraCoat Fleet ensure maximum visceral exposure of the intended message while giving maximum "pop" to the image without distortion or color shift.

Item#	Finish	Size	List Price
62603	Semi Gloss	5 Gallon	\$ 550.00
62604	Semi Gloss	55 Gallon	\$ 4,147.00

UltraCoat® Giclee

UltraCoat Giclee is designed to work specifically with our Giclee coater. It is available in a clear or matte finish that is perfect for use in the fine art market.

Item#	Finish	Size	List Price
62616	Clear Gloss	(2) 1 Gallon	\$ 309.00
62617	Matte	(2) 1 Gallon	\$ 309.00
62618	Clear Gloss	5 Gallon	\$ 625.00
62619	Satin Matte	5 Gallon	\$ 625.00
62620	Sealer	(2) 1 Gallon	\$ 119.00
62621	Cleaner	(2) 1 Gallon	\$ 89.00

UltraCoat® Interior

This coating offers the lowest reflective properties of any single component water-based coating on the market today! UltraCoat Interior is ideal for durable indoor wall covering applications requiring the look of an ultra-matte surface.

Item#	Finish	Size	List Price
62622	Ultra Matte	5 Gallon	\$ 595.00
62623	Ultra Matte	55 Gallon	\$ 4,125.00

UltraCoat® Non Glare

This coating offers very low reflective properties. Its flat matte finish virtually eliminates glare and reflection, making it perfect for back-drops of all types.

Item#	Finish	Size	List Price
62605	Flat Matte	5 Gallon	\$ 529.00
62606	Flat Matte	55 Gallon	\$ 4,147.00

UltraCoat® Sign & Banner

This quick drying and cost effective coating is ideal for manual or machine application and is available in a gloss or matte finish.

Item#	Finish	Size	List Price
62611	Gloss	5 Gallon	\$ 295.00
62612	Gloss	55 Gallon	\$ 2,330.00
62613	Matte	5 Gallon	\$ 295.00
62614	Matte	55 Gallon	\$ 2,330.00

UltraCoat® Cleaner

This unique cleaning agent effectively and safely breaks down and softens UltraCoat coatings.

Item#	Finish	Size	List Price
62615	N/A	4 (1 Gallon)	\$ 120.00



AccuCure 4XL

4XL AccuCure UV liquid is resistant to gasoline, detergent, alcohol, salt spray, grease, scrubbing and abrasion. They exhibit ultra low shrinkage, low edge curl and work with flexible and rigid substrates. It is ideal for inkjet image since it does not dissolve the inks and will not cause image offsetting.

Item#	Finish	Size	List Price
5004402	Luster	1 Gallon	\$ 228.00

AccuCure™ Elite UV Fleet Gloss

The Elite UV Fleet Gloss liquid coating is an ultraviolet curable liquid that was specifically engineered for use with the Neschen AccuCure UV liquid laminating machines. For use with vinyl, it has a quick-cure, low-odor formulation with an ideal viscosity that delivers a smooth finish every time - perfect for long-lasting fleet graphics.

Item#	Finish	Size	5 Gallons	10-20 Gallons	25 Gallons +
			Qty 1-5	Qty 2-4	Qty 5+
5004516	Gloss	(2) 2.5 Gallon	\$ 842.22	\$ 758.00	\$ 689.09

AccuCure™ Elite UV Satin Matte

This highly protective hard coat, ultraviolet-curable coating liquid is specifically formulated for use with the Neschen AccuCure UV liquid lamination machines. It Cures quickly and is immediately ready for display. Use Elite Satin Matte with boards and rigid substrates for superior scuff and abrasion resistance. It can also be used for most vinyl applications that do not have complex curves and bends.

Item#	Finish	Size	5 Gallons	10-20 Gallons	25 Gallons +
			Qty 1-5	Qty 2-4	Qty 5+
5004523	Satin Matte	(2) 2.5 Gallon	\$ 930.56	\$ 837.50	\$ 761.36

AccuCure™ Elite UV Low Odor

This highly protective hard coat, ultraviolet-curable coating liquid is specifically formulated for use with the Neschen AccuCure UV liquid lamination machines. It cures quickly for immediate display and is designed for applications that require low odor – including the consumer packaging, food and beverage industries, and for POP displays. The smooth gloss finish lays down flat and provides excellent scuff and abrasion resistance.

Item#	Finish	Size	5 Gallons	10-20 Gallons	25 Gallons +
			Qty 1-5	Qty 2-4	Qty 5+
5004526	Gloss	(2) 2.5 Gallon	\$ 976.33	\$ 878.70	\$ 798.82



US Domestic Training Fee Schedule and Service Rate

Equipment Training Fees

SEAL 44 Ultra S	\$1,250.00
SEAL 62 Ultra Plus C and S	\$1,250.00
SEAL 54 and 62 Base	\$1,250.00
SEAL 62 Pro C	\$1,250.00
SEAL Image 600MD	\$1,500.00
SEAL Image 62 Plus	\$1,500.00
SEAL 62 Pro S and D	\$1,500.00
SEAL 80 Pro	\$1,500.00

- Training is not included in the purchase price of our machines.
- Training includes but is not limited to instruction on the proper set-up of the laminator, its safety features and their operation, machine controls and their use, application training, cleaning and maintenance.
- Training does not include unloading, uncrating, or installation of laminator. The machine should already be installed with electrical service checked and live into the machine.
- The owner is responsible for providing all images, substrates, and additional laminates that are not provided with our training fee.
- The training appointment is made 7 - 14 business days after the customer takes delivery of the machine.
- Training is scheduled according to availability of training personnel, site location, the cost and availability of transportation to and from customer site and lodging.
- For expedited training, additional costs may be incurred due to travel availability.
- Fee schedule applies to the US 48 contiguous states only. Call Neschen Americas Technical Service department for quote on trainings outside of the US 48 contiguous states.
- Training fees for Out of Production machines will be billed at our Hourly Service Rates and will include a call charge and all travel expenses if needed.

Hourly Service Rates

Call Charge - includes first hour of ground travel	\$250.00
Labor rate per half hour	\$75.00
Travel rate per hour of driving	\$75.00

- Labor and travel rates apply Monday through Friday, 8:30 AM to 5:00 PM excluding holidays.
- Charges for service include the total time engaged in work and/or awaiting access to subject machine.
- Charges for travel include the total time traveling to and from the machine location.
- Labor and travel time is rounded up to the nearest half-hour.
- Travel expenses will be added on Non-Warranty field service calls.

Prices are in US currency.

Prices are subject to change.

Prices are effective as of 07/01/08.

Consumables Special Cut Policy

Consumables Special Cut Policy: Assorted items within our product range are available in custom cut sizes. Pricing schedule is as listed. For up to 14 original rolls to be slit: \$50.00 set-up fee + \$10.00 slitting fee per roll (up to three cuts allowed per roll). Occasionally special cut rolls will contain a splice.

- For quantities of 15 rolls and greater: All set-up and slitting fees are waived.
- You pay for full roll width even if the full roll is not used
- Lead time is 5-10 business days
- Roll quantities calculated based on original roll (i.e. 51" roll slit into two 25" rolls equals one roll)

Example 1

Order a 51" roll and have it cut into two 25" rolls the cost would be \$50.00 (for set-up) + \$10.00 (for slitting) = \$60.00 (i.e. 51" roll slit into two 25" rolls equals one roll)

Example 2

Order 2 rolls to be cut into 4 rolls the cost would be \$50.00 (for set-up) + \$20.00 (for slitting) = \$70.00

Textiles & PVC Special Cut Policy

Textiles & PVC's: First cut is no charge. All subsequent cuts are \$10 each.



Terms and Conditions of Sale



Freight Minimums

Laminates	
Adhesives	
Inkjet Media	Orders Exceeding \$7,500 - FREE Freight
Pouch Board	Orders from \$3,000 to \$7,500 - 2% Surcharge on the Value of the Order
Textiles (54" - 71")	Orders less than \$3,000 - Full Freight Charged on the Value of the Order
PrimeX	
Liquid Laminates	
Equipment	FOB Sun Prairie, WI and/or Los Angeles, CA
Textiles (80" and greater)	FOB Elkridge, MD and/or Los Angeles, CA
Expolinc	All orders are PPA (prepay and add)

Drop Ships All products - \$25 drop ship fee plus reseller pays all freight costs.

Will Call Fee All products - \$25 for pick up of orders at any Neschen location including Canada and our CA & IL warehouses.

Backorders All products - Partial shipments allowed.

Spliced Rolls All products - Splices are allowed on all laminates and adhesives. Laminates and adhesives have an extra 9' of material on them to compensate for the splice.

Special Cuts All products - Laminates & Adhesives: Rolls 1-14: \$50 set up plus \$10 per cut; 15+ rolls: No charge. Textile & PVC's: First cut is no charge. All subsequent cuts are \$10 each.

Restock Fee All products - 20%

Payment Terms All products - 1% 20, Net 30

Minimum annual volume to maintain an open commercial account is \$1500.00.

Prompt payment or freight allowance discounts do not apply to commercial mounting and laminating equipment.

Neschen reserves the right to make a claim to a 3rd party consumer for any uncollected amount not paid by the reseller.

All handling and processing of Neschen goods by a reseller shall always retain the Neschen and/or SEAL product name on all orders. If the reseller ships an order with other products belonging to different suppliers, Neschen shall retain co-ownership at a ratio of the invoice value of the Neschen/SEAL product to the total invoiced value of the shipment.

Equipment Warranty: One Year Parts / 6 Months Labor Limited Warranty*

Neschen Americas warrants to the original consumer purchaser that each new SEAL or Neschen brand equipment product which proves defective in materials or workmanship within the applicable warranty period will be repaired or, at our option, replaced without charge upon its return, postpaid, as outlined below. The applicable warranty shall be one year from date of purchase for parts, 6 months for labor and 6 months for rollers (rollers warranted against manufacturers defects). "Original consumer purchaser" means the person who first purchased the product covered by this warranty other than for purpose of resale. Refurbished equipment carries a 90-day parts and labor limited warranty. Neschen Americas' liability for breach of any warranty, expressed or implied, shall be limited to the repair or replacement at Neschen Americas' option of the defective item. Neschen Americas shall not be liable for damages, including but not limited to incidental or consequential damages, arising out of or in connection with the use or performance of any SEAL or Neschen brand product. Any implied warranty shall be limited in duration to the duration of this warranty. Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitation & exclusion may not apply to you.

Neschen Americas is not responsible for damages from mishandling and abuse in transit, in which case a claim should be filed with the carrier. This warranty does not cover any defect or malfunction due to or caused by unreasonable use or abuse, or failure to provide reasonable and necessary maintenance.

ProSEAL Warranty: One Year Parts / Three Months Roller Limited Warranty

Neschen Americas warrants to the original consumer purchaser that each new ProSEAL equipment product which proves defective in materials or workmanship within the applicable warranty period will be repaired or, at our option, replaced without charge upon its return, postpaid, as outlined below. The applicable warranty shall be one year from date of purchase for parts, 3 months for rollers (rollers warranted against manufacturers defects). "Original consumer purchaser" means the person who first purchased the product covered by this warranty other than for purpose of resale. Refurbished equipment carries a 90-day parts and labor limited warranty. Neschen Americas' liability for breach of any warranty, expressed or implied, shall be limited to the repair or replacement at Neschen Americas' option of the defective item. Neschen America shall not be liable for damages, including but not limited to incidental or consequential damages, arising out of or in connection with the use or performance of any ProSEAL product. Any implied warranty shall be limited in duration to the duration of this warranty. Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitation & exclusion may not apply to you.

Neschen Americas is not responsible for damages from mishandling and abuse in transit, in which case a claim should be filed with the carrier. This warranty does not cover any defect or malfunction due to or caused by unreasonable use or abuse, or failure to provide reasonable and necessary maintenance.

Equipment Repair: A product out of warranty in need of repair will be repaired in accordance with the approved repair estimate. Replacement parts carry a 90 day warranty. Contact Technical Support at 1-800-486-6502 for more information.

* Excludes ProSEAL Laminators



100% Customer Satisfaction Guarantee Policy

In order to better serve our customers, we have established the following guidelines to facilitate the administration of our 100% Customer Satisfaction Guarantee. All of the information needed for smooth RMA and credit transactions is detailed in this document.

Please note: products can be no more than one year beyond their production date (as indicated by their lot code which is designated on the roll of material) to be eligible for return within the guidelines stated below.

Remember that an RMA number must still be issued by our Customer Service department for any product being returned to Neschen Americas.

Satisfaction Guaranteed Return Types

Quality Defects

a. Maximum of two rolls of material with a value of \$2,500 or less

A credit will be issued to the customer within 48 hours of our receipt of a sample of the defective material.

b. Three or more rolls of material or an order value of greater than \$2,500

We will provide the customer with a course of action based on the following two scenarios within 48 hours of our receipt of the defective sample.

1. Destroy in field – Customer will be asked to dispose of the defective material and a credit will be processed at the time of communication.
2. Rolls to be returned – This occurs when the entire lot of rolls needs to be returned to Neschen Americas for an evaluation of the defect. A credit will be issued to the customer within 48 hours of our receipt of the rolls.

Stock Rotation

a. Reseller Stock Rotation

A credit will be issued to the reseller within five business days of our receipt of the returned product. The product must fall within the detailed stock rotation guidelines noted below:

1. Stock rotations must be made within six months of the original purchase from Neschen Americas (a maximum of two stock rotations per year).
2. We ask that the reseller provide the lot codes for each roll being considered for stock rotation. These lot codes will be used to determine the roll's production date, which must be within one calendar year of the requested return. Any rolls produced outside of this one year time frame will not be considered for a stock rotation credit. Customer Service will communicate any discrepancies to the appropriate Neschen Americas Sales Representative, and Sales will communicate them to the Reseller.
3. A 20% restock fee will be applied to all stock rotation returns. A reseller placing an offsetting purchase order of equal or greater value than the stock rotation request will be exempt from this restock fee. The offsetting order must be placed at the same time the rotation request is made to qualify for exemption from the 20% restock fee.
4. The reseller requesting the stock rotation will be responsible for the returned product's freight costs. If products being returned as part of a stock rotation arrive at Neschen Americas with freight damage they will be refused at our dock upon attempted delivery.
5. A \$15.00 re-box fee will be applied to all rolls requiring repackaging for resale. We will notify the reseller within 48 hours of our receipt of the returned product of the total re-box fees that will be applied to their stock rotation credit.
6. Only SEAL or Neschen brand products will be considered for stock rotation returns. Equipment, Eco Board, private label items, special orders products, container orders, specialty products, special cuts, discontinued and obsolete items are not eligible for stock rotation returns. Please refer to the Neschen Americas Terms and Conditions of Sale page of your price book for information on our Equipment Warranty.
7. We will only issue credit for product that can be restocked and resold.

Freight Damage

a. Product value not exceeding \$2,500

1. We will ask the customer to provide us with digital photographs of the damage and we will issue a credit within 48 hours of our receipt of the pictures.

b. Product value exceeding \$2,500 and the product is received by the customer

1. We ask that the customer provide us with digital pictures of the damage and we will issue a credit within 48 hours of our receipt of the pictures.
2. The Neschen Americas Shipping Department will contact the appropriate carrier to set up a freight claim inspection.

c. Product value exceeding \$2,500 and the product is refused by the customer

1. The customer will be asked to provide a fax copy of the packing list refusal and a credit will be issued within 48 hours of our receipt of the fax.
2. Our Shipping Department will contact the appropriate carrier to set up a freight claim and arrange to have the damaged materials returned to Neschen Americas.
3. We will process a replacement order at the time of the customer's initial notification of the freight damaged order.

Please contact your Sales or Customer Service Representative if you have any questions about this policy.

Neschen Americas Technical Service Department (800) 486-6502

Neschen Americas Customer Service Department (800) 257-7325

Neschen Americas Customer Service Department Fax (800) 966-4554

www.sealbrands.com

All prices in US Dollars. Errors and omissions excluded.

All terms, conditions, prices and the Customer Satisfaction Guarantee are subject to change without notice.

Neschen Americas
7091 Troy Hill Drive
Elkridge, MD 21075
Tel: (410) 540-8900
Fax: (410) 579-8960